
CITY OF SUPERIOR

GOVERNMENT CENTER PARKING LOT

THE LOCATIONS OF EXISTING UNDERGROUND UTILITIES
ARE SHOWN IN AN APPROXIMATE WAY ONLY AND HAVE
NOT BEEN INDEPENDENTLY VERIFIED BY THE OWNER OR
ITS REPRESENTATIVE. THE CONTRACTOR SHALL DETERMINE
THE EXACT LOCATION OF ALL EXISTING UTILITIES BEFORE
COMMENCING WORK, AND AGREES TO BE FULLY RESPONSIBLE
FOR ANY AND ALL DAMAGES WHICH MIGHT BE OCCASIONED. FOR ANY AND ALL DAMAGES WHICH MIGHT BE OCCASIONED BY THE CONTRACTORS FAILURE TO EXACTLY LOCATE AND PRESERVE ANY AND ALL UNDERGROUND UTILITIES.

> FOR FIELD LOCATES CALL: 1.800.242.8511 www.DiggersHotline.com



GOVERNING SPECIFICATIONS

THE 2003 EDITION OF THE WISCONSIN DEPARTMENT OF TRANSPORTATION "STANDARD SPECIFICATIONS FOR HIGHWAY AND STRUCTURE CONSTRUCTION" SHALL GOVERN.

STANDARD SPECIFICATIONS FOR SEWER & WATER CONSTRUCTION IN WISCONSIN

SHEET INDEX

- 1 TITLE SHEET, STATEMENT OF ESTIMATED QUANTITIES AND NOTES
- 2 DETAILS
- 3 CONSTRUCTION PLAN
- 5-6 LIGHTING PLAN

JEFF VITO

I HEREBY CERTIFY THAT THIS PLAN WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY REGISTERED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF WISCONSIN.

		ESTIMATED QUANTITIES		
	ITEM		1	ESTIMATED
NOTE	NUMBER	UNIT	QUANTITY	
i)	
	601.0411	CONCRETE CURB & GUTTER 30-INCH TYPE D	LF	1216.00
	602.0415	CONCRETE SIDEWALK 6-INCH	SQ. FT.	2234.00
	652.0110	CONDUIT RIDGID NONMETALIC SCHEDULE 40, 1 INCH , , , , , , , , , , , , , , , , , , ,	LF	570.00
	655.0620	ELECTRICAL WIRE LIGHTING 8 AWG TYPE USE-2 (BRANCH)	LF	1340.00
	655.0620	ELECTRICAL WIRE LIGHTING 8 AWG TYPE USE-2 GREEN GND	LF	670.00
	655.0610	ELECTRICAL WIRE LIGHTING 12 AWG TYPE THINK N POLE)	LF	400.00
	659.0110	LIGHT BASE FOUNDATION	EACH	6
	659.0700	LIGHTING UNIT	EACH	6
	SPV.0060.02	SERVICE CABINET W/SERVICE KEAN CONDUIT AND CONDUCTOR	EACH	1
				1

RECORD DRAWING 01/06/06 NÓ CHANGE THIS SHEET

					COR			and the second s						
			CB	MH	► MH	MH [MH	MH	INLET					
•			TYPE 2	TYPE 1 (48") <	TYPE 2 (60")	TYPE 3 (72")	TYPE 5 (96")	COVER	COVER	TOP OF	INVERT	DRAINS TO	12" RC	48" RC
			DEPTH	DEPTH \	DEPTH	DEPTH	DEPTH	TYPE J	TYPE H	CASTING	OUT	STRUCTURE	PIPE	PIPE
STRUCTURE	TYPE	LOCATION	FEET	FEET	FEET	FEET	FEET	EACH	EACH	ELEVATION	ELEVATION	NUMBER	FEET	FEET
				Shir					<u></u>					
MANHOLE 1	PROPOSED	ALLEY		40.47					1.00	634.20	623.73	MANHOLE 2		
MANHOLE 2	PROPOSED	ALLEY		12.20				1.00		635.20	623.00	MANHOLE 6		
MANHOLE 3	PROPOSED	LOT	\sim			8.00			1.00	634.00	626.00	MANHOLE 2	19.00	
MANHOLE 4	PROPOSED	LOT	177		8.57				1.00	635.07	626.50	MANHOLE 5		125.00
MANHOLE 5	PROPOSED	LOT	-				7.73		1.00	634.00	626.27	MANHOLE 3		130.00
CATCH BASIN 1	PROPOSED	LOT CY	4.35						1.00	635.07	630.72	MAHHOLE 3	125.00	
	and Art reconstruction for the management of the second			8				***************************************						
TOTAL			4.35	22.67	8.57	8.00	7.73	1.00	5.00	I .			144.00	255.00

- 1						
1	DRAMN RY. GTL					l @:
1	Olivania di.					PLA
	DESIGNER: FAH					DES OF
	CHECKED BY: MJB					AN
1	DESIGN TEAM	NO	RY	DATE	REVISIONS	DAI

D)SHORT ELLIOTT HENDRICKSON 2002. ANY USE OR REUSE OF THIS I HEREBY CERTIFY THAT THIS PLAN WAS PREPARED BY PLAN/DRAWING AND THE CORRESPONDING COMPUTER AIDED WE OR UNDER MY DIRECT SUPERVISION AND THAT I AM ADMINISTRATION OF THE STATE OF WISCONSIN.


I HEREBY CERTIFY THAT THIS PLAN WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM ADMINISTRATION OF THE STATE OF WISCONSIN. PLAN/JORAMMIC AND THE CORRESPONDING COMPUTER AIDED DESIGN/DORATING FILES WITHOUT THE EXPRESS WRITTEN CONSENT OF SEM, IS PROHIBITED. SEM SHALL NOT BE RESPONSIBLE FOR ANY UNAUTHORIZED USE OR REUSE OF THESE MATERIALS, OR

PHONE: (218) 722-0547
831 E 2ND STREET
SEH DULUTH, MN 55805


CITY OF SUPERIOR GOVERNMENT CENTER PARKING LOT SUPERIOR, WISCONSIN

ESTIMATED QUANTITIES NOTES


FILE NO. ASUPER0515.00 DATE




TYPICAL PARKING LOT SECTION




RECORD DRAWING 01/06/06 NO CHANGE THIS SHEET



84' DIAMETER CATCHBASIN MANHOLE



72" CATCHBASIN MANHOLE



CATCHBASIN MANHOLE (PROFILE)

DESIGNER: MB CHECKED BY: ____SW_ NO. BY DATE REVISIONS DESIGN TEAM

© SHORT ELLIOTT HENDRICKSON 2002. ANY USE OR REUSE OF THIS PLAN WAS PREPARED BY PLAN/DRAWING AND THE CORRESPONDING COMPUTER AIDED DESIGN/DRAFTING FILES WITHOUT THE EXPRESS WRITTEN CONSENT OF SEH, IS PROHIBITED. SEH SHALL NOT BE RESPONSIBLE FOR ANY UNAUTHORIZED USE OR REUSE OF THESE MATERIALS, OR DATE:

DAMAGES RESULTING THEREFROM.

1 HEREBY CERTIFY THAT THIS PLAN WAS PREPARED BY ME OR UNDER MY DIRECT SUPERMISSION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF WISCONSIN.

SIGNATURE:

PRINTED NAME:

SCOTT WEYANDT LIC. NO.


SCOTT WEYANDT


PHONE: (218) 722-0547 831 E 2ND STREET SEH DULUTH, MN 55805 ___ U.C. NO. _E-27245


CITY OF SUPERIOR GOVERNMENT CENTER PARKING LOT SUPERIOR, WISCONSIN

DETAILS


SUPER0515.00








- ALL CONDUCTORS SHALL BE TYPE USE-2, 2 #8 AWG, T #8 AWG CND UNLESS OTHERWISE NOTED.
- B. ALL CONDUIT SHALL BE 1" NMC SCHEDULE 40 UNLESS OTHERWISE NOTED.
- C PROVIDE I" CAPPED CONDUIT STUB WHERE INDICATED.
- MAINTAIN REQUIRED CLEARANCE FROM OVERHEAD CONDUCTORS FOR LIGHTING UNITS A1, AZ AND A3. SET BACK FROM BACK OF CURB TO FOUNDATION, SHALL BE AS DIRECTED BY THE ENGINEER.
- E. UGHTING UNITS A4. A5, A6 SHALL BE SET BACK 30° FROM BACK OF CURB TO CENTER OF FOUNDATION, OR AS DIRECTED BY THE ENGINEER.
- F. ALL CONDUCTORS SHALL BE COPPER (CU).
- G. INSTALLATION METHODS AND MATERIALS SHALL CONFORM TO THE STATE OF WISCONSIN "STANDARD SPECIFICATIONS FOR HIGHWAY AND STRUCTURE CONSTRUCTION" 2003 EDITION.



	LUMINAIRE SCHEDULE						.,	
SYM.	DESCRIPTION		AMP DATA	VOLT	ι	LUMINAIRE & POLE		
		NO.	TYPE	ĺ	MFR	CAT. NO.		
*-	250W MH GULLWING ON 25' HAPCO ALUMINUM POLE	1	250W PULSE START METAL HALIDE	240		LUMINAIRE: G18-1-4XL-25PSMH-24G-8RP-RPA2	1	
					HAPCO	POLE: 83122-003 BRONZE PAINT	-	

NOTE 1: LUMINAIRES FOR LICHTING UNITS 1, 2 AND 3 SHALL INCLUDE A "HOUSE SIDE SHIELD" (HS).

TABULATION OF LIGHTING QUANTITIES		
ITEM DESCRIPTION	UNIT	QUANTITY
SERVICE CABINET W/SERVICE HEAD, CONDUIT AND CONDUCTOR	EACH	1
LIGHTING UNIT	EACH	6
LIGHT BASE FOUNDATION	EACH	6
ELECTRICAL WIRE LIGHTING #8 AWG TYPE USE-2 (BRANCH)	L.F.	1340
ELECTRICAL WIRE LIGHTING #8 AWG TYPE USE-2 GREEN GND	L.F.	670
CONDUIT RIGID NONMETALLIC SCHEDULE 40 1"	L.F.	570
ELECTRICAL WIRE LIGHTING 12 AWG TYPE THHN (IN POLE)	L.F.	400



RECORD DRAWING 01/06/06 - NO CHANGE

IDD.					(C) SHORT ELLIOTT HENDRICKSON 2002. ANY USE OR REUSE OF THIS
DRAWN BY:JRB					PLAN/DRAWING AND THE CORRESPONDING COMPUTER AIDED
DESIGNER: KST					DESIGN/DRAFTING FILES WITHOUT THE EXPRESS WRITTEN CONSENT
					OF SEH, IS PROHIBITED. SEH SHALL NOT BE RESPONSIBLE FOR
CHECKED BY:BLG					ANY UNAUTHORIZED USE OR REUSE OF THESE MATERIALS, OR
DECION TEAM	NO	BY	DATE	REVISIONS	DAMAGES RESULTING THEREFROM.

S I HEREBY CERTIFY THAT THIS PLAN WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY UCENSED PROFESSIONAL ENGINEER, UNDER THE LAWS OF THE STATE_OF_WISCONSIN. SIGNATURE:

Brion L. Guenther

LIC. NO. 28781-006

PHONE: (218) 722-0547

831 E 2ND STREET

DULUTH, MN 55805

GOVERNMENT CENTER PARKING LOT SUPERIOR, WISCONSIN

LIGHTING PLAN

FILE NO. ASUPER0515.00 DATE

