

LEGEND

FINISH GRADE CONTOUR 634	PIPE AND STRUCTURE ABBREV.
EXISTING GRADE CONTOUR 634	CSP = CORRUGATED STEEL
PROPOSED RIDGE LINE	RCP = REINFORCED CONCRETE
PROPOSED STORM	SS = SANITARY SEWER
PROPOSED PERP. DRAIN OR SUBDRAIN	IMH = IN-PLACE MANHOLE
PROPOSED CATCH BASIN	PMH = PROPOSED MANHOLE
PROPOSED STORM SEWER MANHOLE	ICB = IN-PLACE CATCH BASIN
EXISTING STORM PIPE	PCB = PROPOSED CATCH BASIN
	INLET PROTECTION TYPE 1


- NOTES:**
1. REFERENCE SHEET C200 FOR EXISTING UTILITY DEMOLITION.
 2. REFERENCE SHEET C400 FOR SITE SURFACING.
 3. EXISTING GRADES AT PREVIOUSLY DEMOLISHED BUILDING NOT SHOWN.

CB	TDC	INVERT(S)	DOWNSTREAM PIPING
#1	631.00	627.00	SUMP 625.00 +/-55 L.F. 12"HDPE @ 2.0% CONNECT AT 625.9 AT EXIST MH
MH#1	632.50	623.68	NO SUMP FIELD VERIFY EX. PIPE INVERT.
#2	631.50	627.00	SUMP 625.00 +/-60 L.F. 12"HDPE @ 2.0% CONNECT AT 625.8 MH#1
#3	632.40	626.58	SUMP 624.50 +/-54 L.F. 12"HDPE @ 2.0% CONNECT AT 625.5 EX MANHOLE - FIELD VERIFY INVERTS
#4	631.50	628.28	SUMP 626.28 +/-54 L.F. 12"HDPE @ 1.0% CONNECT AT 627.74 EX ICB-4A - FIELD VERIFY INVERTS
#6	632.50	630.05	SUMP 628.05 +/-62 L.F. 12"HDPE @ 0.5% CONNECT AT 629.74 CB#7
#7	632.50	629.74	SUMP 627.74 +/-107 L.F. 12"HDPE @ 0.5% CONNECT AT 629.28 CB#8
#8	632.50	629.28	SUMP 627.50 +/-130 L.F. 18"HDPE @ 0.5% CONNECT AT 628.55 AT EX IMH-41A FIELD VERIFY INVERTS
#9	633.50	630.16	SUMP 628.16 +/-84 L.F. 12"RCP @ 0.5% CONNECT AT 629.74 CB#7

YELLOWJACKET UNION
FFE=634.83

ADJUST RIM ELEV. OF
SANITARY SEWER MANHOLE.

RE-ROUTE EXISTING
GAS LINE TO AVOID
CONFLICTS WITH
PROPOSED STORM
SEWER AND GRADE
CHANGES



YELLOWJACKET UNION
FFE=634.83

THE STUDENT UNION BUILDING DEMOLITION SPECIFICATIONS REQUIRED REMOVAL OF FOUNDATIONS TO A MINIMUM OF 4- FEET BELOW SURFACE ELEVATIONS AND BACKFILL WITH EARTH FILL COMPACTED TO 95% OF MODIFIED PROCTOR DENSITY. REMAINING FOUNDATIONS AND SLABS WERE BROKEN AND CRUSHED TO ALLOW PASSAGE OF DRAINAGE.

REFER TO CD 200 FOR ADDITIONAL PREVIOUS BUILDING INFORMATION

LEGEND

EXISTING CONSTRUCTION FENCE	EXISTING PIPE ABBRV.
EXISTING GAS	CSP = CORRUGATED STEEL
EXISTING SANITARY	RCP = REINFORCED CONCRETE
EXISTING STORM	N.I.C. = NOT IN CONTRACT
EXISTING PERF DRAIN OR SUBDRAN	
EXISTING WATER	
EXISTING ELEC-UG	
EXISTING STEAM LINE	
EXISTING TV-UG	
EXISTING FIBER-UG	
EXISTING TELE-FIBER	

WORKSHOP ARCHITECTS
1736 N. Second St. Milwaukee, WI 53222
Voice: 414.224.2222 Fax: 414.224.2222
© COPYRIGHT WORKSHOP ARCHITECTS, INC.

State of Wisconsin
Department of Administration
Division of State Facilities

University of Wisconsin - Superior
Agency / Institution: University of Wisconsin SUPERIOR

YELLOWJACKET UNION
PARKING LOT REPLACEMENT

Project Location: University of Wisconsin - Superior
Superior, Wisconsin

Sheet Title: Site Survey and Existing Conditions

Revisions:			
No.	Date:	By:	Description:
1	4.14.11	A/E	Construction Set

Scale: 1" = 20'

Graphic Scale: 0' 5' 10' 20' 30'

DSF Number: 05L1D

Set Type: CD

Date Issued: FEB. 7, 2011

Sheet Number: C100