

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
1-1-2018 Certification

TOWN OF OAKLAND (022)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------|---------------------|----|---|---------|----|------|-------|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|------|--------|------|------|----|
| Big D Rd | | 0.05 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| E Rockdale Rd | Termini | 0.05 (264) | N | 2 | 25 | 8 | 2013 | 0 | 2013 | | | | 101 | 101 | | | | 000000 | | A | 66 | 45 | 5 | | 4 | 000 | | | 00 | | | 2016 | 3 | 2015 | |
| Brannan Rd | | 1.13 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Range Line Rd | Pine Grove Rd | 0.53 (2798) | N | 1 | 35 | 12 | 2004 | | | 4 | 0 | 0 | 104 | 104 | | | E | 000035 | | E | 40 | 45 | 5 | | 4 | 000 | NON | | 00 | | 2016 | 4 | 2015 | | |
| Pine Grove Rd | Jacksino Rd | 0.46 (2429) | N | 1 | 35 | 12 | 2004 | | | 4 | 0 | 0 | 104 | 104 | | | E | 000035 | | E | 40 | 45 | 5 | | 4 | 000 | NON | | 00 | | 2016 | 4 | 2015 | | |
| Jacksino Rd | Termini | 0.14 (739) | N | 1 | 35 | 10 | 2004 | | | 4 | 0 | 0 | 104 | 104 | | | E | 000005 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | 2016 | 4 | 2015 | | |
| Clara Barton Rd | | 4.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| S Old Lyman Lake Rd | CTH B | 1.00 (5280) | N | 1 | 35 | 14 | 2006 | | | 4 | 0 | 0 | 104 | 104 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | 2016 | 5 | 2015 | | |
| CTH B | Turbett Rd | 0.50 (2640) | N | 2 | 35 | 16 | 2006 | | | 4 | 0 | 0 | 106 | 106 | | | E | 000035 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | 2016 | 5 | 2015 | | |
| Turbett Rd | Jacksino Rd (1.00) | 1.00 (5280) | N | 2 | 35 | 16 | 2006 | | | 4 | 0 | 0 | 106 | 106 | | | E | 000035 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | 2016 | 5 | 2015 | | |
| Turbett Rd (1.00) | Jacksino Rd | 0.50 (2640) | N | 2 | 35 | 18 | 2006 | | | 4 | 0 | 0 | 205 | 205 | | | E | 000035 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | 2016 | 5 | 2015 | | |
| Jacksino Rd | Pearson Rd | 0.50 (2640) | N | 2 | 35 | 18 | 2006 | | | 4 | 0 | 0 | 205 | 205 | | | E | 000035 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | 2016 | 4 | 2015 | | |
| Pearson Rd | Range Line Rd | 0.50 (2640) | N | 2 | 35 | 18 | 2006 | | | 4 | 0 | 0 | 205 | 205 | | | E | 000035 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | 2016 | 5 | 2015 | | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
1-1-2018 Certification

TOWN OF OAKLAND (022)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---------------------------|---------------------|----|---|---------|----|------|-------|------|---|------|----|----------|-----|--------|----|-----|--------|------|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| Conley Rd | | 1.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Oakland Rd | Lien Rd | 1.00 (5280) | N | 2 | 35 | 16 | 1990 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000025 | | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 5 | 2015 | |
| Craig Rd | | 0.53 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Oakland Rd | Termini | 0.53 (2798) | N | 2 | 35 | 20 | 2015 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000005 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 5 | 2015 | |
| CTH B | | 8.07 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Oakland Rd | Eastman Rd | 0.48 (2534) | N | 2 | 70 | 24 | 2003 | | | 4 | 0 | 0 | 202 | 202 | 0 | 0 | A | 000450 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2018 | 6 | 2017 | 0 |
| Eastman Rd | Lien Rd | 0.50 (2640) | N | 2 | 70 | 24 | 2003 | | | 4 | 0 | 0 | 202 | 202 | 0 | 0 | A | 000450 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2018 | 6 | 2017 | 0 |
| Lien Rd | S Old Lyman Lake Rd | 1.01 (5333) | N | 2 | 70 | 24 | 2003 | | | 4 | 0 | 0 | 202 | 202 | 0 | 0 | A | 000450 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2018 | 6 | 2017 | 0 |
| S Old Lyman Lake Rd | CTH K (0.91) | 0.91 (4805) | N | 2 | 70 | 24 | 2003 | | | 4 | 0 | 0 | 202 | 202 | 0 | 0 | A | 000450 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2018 | 6 | 2017 | 0 |
| S Old Lyman Lake Rd (0.91) | CTH K | 0.10 (528) | N | 2 | 70 | 24 | 2003 | | | 4 | 0 | 0 | 202 | 202 | 0 | 0 | A | 000240 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2018 | 6 | 2017 | 0 |
| CTH K | Clara Barton Rd (0.08) | 0.08 (422) | N | 2 | 70 | 24 | 2002 | | | 4 | 0 | 0 | 202 | 202 | | | E | 000035 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2018 | 6 | 2017 | |
| CTH K (0.08) | Clara Barton Rd | 0.91 (4805) | N | 2 | 70 | 24 | 2002 | | | 4 | 0 | 0 | 202 | 202 | | | A | 000270 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2018 | 6 | 2017 | |
| Clara Barton Rd | TN RD 11 | 0.91 (4805) | N | 2 | 70 | 24 | 2002 | | | 4 | 0 | 0 | 202 | 202 | | | A | 000270 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2018 | 6 | 2017 | |
| TN RD 11 | Otto Rd | 0.13 (686) | N | 2 | 70 | 24 | 2002 | | | 4 | 0 | 0 | 202 | 202 | | | A | 000270 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2018 | 6 | 2017 | |
| Otto Rd | Najt Rd | 0.13 (686) | N | 2 | 70 | 24 | 2002 | | | 4 | 0 | 0 | 202 | 202 | | | A | 000270 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2018 | 6 | 2017 | |
| Najt Rd | CTH L | 1.02 (5386) | N | 2 | 70 | 24 | 2002 | 4 | 2017 | 4 | 0 | 0 | 202 | 202 | | | T | 000830 | 2014 | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2018 | 6 | 2017 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
1-1-2018 Certification

TOWN OF OAKLAND (022)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|----------------------|-----------------|---|---|----|----|------|---|------|---|---|---|-----|-----|--|--|---|--------|--|---|----|----|---|--|---|-----|-----|----|--|------|---|------|
| CTH B | | 8.07 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CTH L | Edquist Rd | 0.25 (1320) | N | 2 | 70 | 24 | 2001 | 4 | 2017 | 4 | 0 | 0 | 202 | 202 | | | A | 000280 | | E | 66 | 30 | 4 | | 3 | 000 | NON | 00 | | 2018 | 5 | 2017 |
| Edquist Rd | Jacksino Rd | 0.52 (2746) | N | 2 | 70 | 24 | 2001 | 4 | 2017 | 4 | 0 | 0 | 202 | 202 | | | T | 000000 | | E | 66 | 30 | 4 | | 3 | 000 | NON | 00 | | 2018 | 5 | 2017 |
| Jacksino Rd | S Kip Rd | 0.23 (1214) | N | 2 | 70 | 24 | 2001 | 4 | 2017 | 4 | 0 | 0 | 202 | 202 | | | A | 000280 | | E | 66 | 30 | 4 | | 3 | 000 | NON | 00 | | 2018 | 5 | 2017 |
| S Kip Rd | Lundgren Rd | 0.27 (1426) | N | 2 | 70 | 24 | 2001 | 4 | 2017 | 4 | 0 | 0 | 202 | 202 | | | A | 000280 | | E | 66 | 30 | 4 | | 3 | 000 | NON | 00 | | 2018 | 5 | 2017 |
| Lundgren Rd | Falk Rd | 0.25 (1320) | N | 2 | 70 | 24 | 2001 | 4 | 2017 | 4 | 0 | 0 | 202 | 202 | | | A | 000280 | | E | 66 | 30 | 4 | | 3 | 000 | NON | 00 | | 2018 | 5 | 2017 |
| Falk Rd | Range Line Rd | 0.25 (1320) | N | 2 | 70 | 24 | 2001 | 4 | 2017 | 4 | 0 | 0 | 202 | 202 | | | A | 000280 | | E | 66 | 30 | 4 | | 3 | 000 | NON | 00 | | 2018 | 5 | 2017 |
| Range Line Rd | Okerson Ln (0.12) | 0.12 (634) | N | 2 | 70 | 24 | 2001 | 4 | 2017 | 4 | 0 | 0 | 202 | 202 | | | E | 000150 | | E | 66 | 30 | 4 | | 3 | 000 | NON | 00 | | 2018 | 5 | 2017 |

| CTH K | | 3.45 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---------------------------|---------------------|----|---|---------|----|------|-------|------|---|------|----|----------|-----|--------|----|-----|--------|------|---|----|----|----|---|-----|-----|-----|----|-----|------|--------|------|---|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | | | | | | | | | W | H | | V | R | |
| CTH B | TN RD 56 | 0.46 (2429) | N | 2 | 70 | 24 | 2011 | 2 | 2016 | 4 | 0 | 0 | 202 | 202 | | | A | 000240 | | E | 66 | 30 | 4 | | 3 | 000 | NON | 00 | | 2018 | 8 | 2017 | | |
| TN RD 56 | Turbett Rd | 0.08 (422) | N | 2 | 70 | 24 | 2011 | 2 | 2016 | 4 | 0 | 0 | 202 | 202 | | | A | 000240 | | E | 66 | 30 | 4 | | 3 | 000 | NON | 00 | | 2018 | 8 | 2017 | | |
| Turbett Rd | E Rockdale Rd | 0.41 (2165) | N | 2 | 70 | 24 | 2011 | 2 | 2016 | 4 | 0 | 0 | 202 | 202 | | | A | 000240 | | E | 66 | 30 | 4 | | 3 | 000 | NON | 00 | | 2018 | 8 | 2017 | | |
| E Rockdale Rd | CTH V | 0.50 (2640) | N | 2 | 70 | 24 | 2011 | 2 | 2016 | 4 | 0 | 0 | 202 | 202 | | | A | 000240 | | E | 66 | 30 | 4 | | 3 | 000 | NON | 00 | | 2018 | 8 | 2017 | | |
| CTH V | Rice Farm Rd | 1.25 (6600) | N | 2 | 70 | 24 | 2011 | 2 | 2016 | 4 | 0 | 0 | 202 | 202 | | | T | 000840 | 2014 | E | 66 | 30 | 4 | | 3 | 000 | NON | 00 | | 2018 | 8 | 2017 | | |
| Rice Farm Rd | Mable Nelson Rd (0.25) | 0.25 (1320) | N | 2 | 70 | 24 | 2011 | 2 | 2016 | 4 | 0 | 0 | 202 | 202 | | | E | 000350 | | E | 66 | 30 | 4 | | 3 | 000 | NON | 00 | | 2018 | 8 | 2017 | | |
| Rice Farm Rd (0.25) | Mable Nelson Rd (0.25) | 0.00 (25) | N | 2 | 70 | 24 | 2011 | 2 | 2016 | 4 | 0 | 0 | 202 | 202 | | | E | 000350 | | E | 66 | 40 | 4 | | 3 | 000 | NON | 00 | | 2018 | 8 | 2017 | | |
| Rice Farm Rd (0.25) | Mable Nelson Rd | 0.50 (2615) | N | 2 | 70 | 24 | 2011 | 2 | 2016 | 4 | 0 | 0 | 202 | 202 | | | E | 000350 | | E | 66 | 30 | 4 | | 3 | 000 | NON | 00 | | 2018 | 8 | 2017 | | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
1-1-2018 Certification

TOWN OF OAKLAND (022)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---------------------------|---------------------|----|---|---------|----|------|-------|------|---|------|----|----------|-----|--------|----|-----|--------|------|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| CTH L | | 5.30 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH B | Tri Lakes Rd | 2.43 (12830) | N | 2 | 70 | 24 | 2006 | 2 | 2017 | 3 | 0 | 0 | 202 | 202 | | | T | 000320 | 2014 | E | 70 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2018 | 7 | 2017 | |
| Tri Lakes Rd | E Lyman Lake Rd | 0.36 (1901) | N | 2 | 70 | 24 | 2006 | 2 | 2017 | 3 | 0 | 0 | 202 | 202 | | | A | 000150 | | E | 70 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2018 | 7 | 2017 | |
| E Lyman Lake Rd | S Lyman Lake Rd (0.14) | 0.14 (739) | N | 2 | 70 | 24 | 2006 | 2 | 2017 | 3 | 0 | 0 | 202 | 202 | | | A | 000150 | | E | 70 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2018 | 7 | 2017 | |
| E Lyman Lake Rd (0.14) | S Lyman Lake Rd | 0.15 (792) | N | 2 | 70 | 24 | 2006 | 2 | 2017 | 3 | 0 | 0 | 202 | 202 | | | A | 000150 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2018 | 7 | 2017 | |
| S Lyman Lake Rd | County Forest 700 Rd | 1.15 (6072) | N | 2 | 70 | 24 | 2006 | 2 | 2017 | 3 | 0 | 0 | 202 | 202 | | | A | 000150 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2018 | 7 | 2017 | |
| County Forest 700 Rd | Gregerson Rd | 1.07 (5650) | N | 2 | 70 | 24 | 2006 | 2 | 2017 | 3 | 0 | 0 | 202 | 202 | | | A | 000150 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2018 | 7 | 2017 | |
| CTH V | | 2.50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH K | McKinley Rd | 0.50 (2640) | N | 2 | 70 | 24 | 2011 | 2 | 2016 | 4 | 0 | 0 | 202 | 202 | | | A | 000080 | | E | 66 | 45 | 4 | | 3 | 000 | NON | | 00 | | | 2018 | 7 | 2017 | |
| McKinley Rd | Swamp Rd | 0.48 (2534) | N | 2 | 70 | 24 | 2011 | 2 | 2016 | 4 | 0 | 0 | 202 | 202 | | | A | 000080 | | E | 66 | 45 | 4 | | 3 | 000 | NON | | 00 | | | 2018 | 7 | 2017 | |
| Swamp Rd | Jacksino Rd | 0.50 (2640) | N | 2 | 70 | 24 | 2011 | 2 | 2016 | 4 | 0 | 0 | 202 | 202 | | | A | 000080 | | E | 66 | 45 | 4 | | 3 | 000 | NON | | 00 | | | 2018 | 7 | 2017 | |
| Jacksino Rd | Pine Grove Rd | 0.52 (2746) | N | 2 | 70 | 24 | 2011 | 2 | 2016 | 4 | 0 | 0 | 202 | 202 | | | A | 000080 | | E | 66 | 45 | 4 | | 3 | 000 | NON | | 00 | | | 2018 | 7 | 2017 | |
| Pine Grove Rd | Willis Rd (0.21) | 0.21 (1109) | N | 2 | 70 | 24 | 2011 | 2 | 2016 | 4 | 0 | 0 | 202 | 202 | | | A | 000080 | | E | 66 | 45 | 4 | | 3 | 000 | NON | | 00 | | | 2018 | 7 | 2017 | |
| Pine Grove Rd (0.21) | Willis Rd (0.50) | 0.29 (1531) | N | 2 | 70 | 24 | 2011 | 2 | 2016 | 4 | 0 | 0 | 202 | 202 | | | E | 000150 | | E | 66 | 45 | 4 | | 3 | 000 | NON | | 00 | | | 2018 | 7 | 2017 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
1-1-2018 Certification

TOWN OF OAKLAND (022)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---------------------------|---------------------|----|---|---------|----|------|-------|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| Dowling Lake Rd | | 1.33 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Finn Point Rd (0.29) | Tri Lakes Rd (0.57) | 0.28 (1478) | N | 2 | 70 | 18 | 2009 | 1 | 2015 | 4 | 0 | 0 | 103 | 103 | | | E | 000075 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2018 | 9 | 2015 | |
| Finn Point Rd (0.57) | Tri Lakes Rd (0.90) | 0.33 (1744) | N | 2 | 70 | 18 | 2009 | 1 | 2015 | 4 | 0 | 0 | 105 | 105 | | | E | 000075 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2018 | 9 | 2015 | |
| Finn Point Rd (0.90) | Tri Lakes Rd (1.22) | 0.32 (1689) | N | 2 | 65 | 18 | 2009 | 1 | 2015 | 4 | 0 | 0 | 105 | 105 | | | E | 000075 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2018 | 9 | 2015 | |
| Finn Point Rd (1.22) | Tri Lakes Rd | 0.40 (2111) | N | 2 | 70 | 18 | 2009 | 1 | 2015 | 4 | 0 | 0 | 105 | 105 | | | E | 000075 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2018 | 9 | 2015 | |
| Eastman Rd | | 2.12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Termini | Thunder Hill Trl | 0.62 (3274) | N | 2 | 35 | 18 | 1990 | | | 4 | 0 | 0 | 102 | 102 | | | E | 000005 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 4 | 2015 | |
| Thunder Hill Trl | Neuman Rd | 0.50 (2640) | N | 2 | 35 | 18 | 1990 | | | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 4 | 2015 | |
| Neuman Rd | CTH B | 1.00 (5280) | N | 2 | 35 | 18 | 1990 | | | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| Edquist Rd | | 0.45 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH B | Termini | 0.45 (2376) | N | 1 | 35 | 20 | 2005 | | | 4 | 0 | 0 | 204 | 204 | | | E | 000005 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 4 | 2015 | |
| Falk Rd | | 0.25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH B | Termini | 0.25 (1320) | N | 1 | 35 | 10 | 1966 | | | 4 | 0 | 0 | 105 | 105 | | | E | 000005 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
1-1-2018 Certification

TOWN OF OAKLAND (022)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------|---------------------|----|---|---------|----|------|-------|----|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| Gregerson Rd | | 1.98 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH L | Tom Green Rd (2.23) | 1.98 (10454) | N | 2 | 35 | 20 | 2015 | | | 4 | 0 | 0 | 205 | 205 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2018 | 5 | 2015 | |
| Holms Rd | | 0.25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CTH B | Termini | 0.25 (1320) | N | 1 | 30 | 8 | 1967 | | | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 2 | 2015 | |
| Jacksino Rd | | 3.02 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CTH V | Brannan Rd | 1.00 (5280) | N | 2 | 35 | 20 | 1998 | | | 4 | 0 | 0 | 203 | 203 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| Brannan Rd | River Rd | 0.50 (2640) | N | 2 | 35 | 20 | 1998 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| River Rd | Clara Barton Rd | 0.52 (2746) | N | 2 | 35 | 20 | 1998 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| Clara Barton Rd | CTH B | 1.00 (5280) | N | 2 | 35 | 20 | 1998 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 4 | 2015 | |
| J. Hudasek Rd | | 0.31 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lucas Rd | S Lyman Lake Rd | 0.31 (1637) | N | 1 | 35 | 35 | 2015 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 5 | 2015 | |
| Jodell Rd | | 0.35 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Neuman Rd | Termini (0.35) | 0.35 (1848) | N | 2 | 35 | 20 | 2016 | | | 4 | 0 | 0 | 205 | 205 | | | E | 000025 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2017 | 4 | 2016 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
1-1-2018 Certification

TOWN OF OAKLAND (022)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|----------------------------|---------------------|----|---|---------|----|------|-------|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|------|--------|-----|------|----|
| Johnson Rd | | 0.16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH C (2.12) | Termini | 0.16 (844) | N | 1 | 35 | 12 | 1966 | | | 4 | 0 | 0 | 104 | 104 | | | E | 000015 | | E | 40 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| S Kip Rd | | 0.88 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH B | Termini (0.55) | 0.55 (2904) | N | 1 | 35 | 10 | 1966 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2017 | 2 | 2015 | |
| CTH B (0.55) | Termini (0.56) | 0.01 (47) | N | 2 | 35 | 20 | 2015 | 11 | 2012 | | | | 00 | 00 | | | | 000000 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2017 | 4 | 2015 | |
| CTH B (0.56) | Termini (0.80) | 0.24 (1267) | N | 2 | 35 | 14 | 2012 | 11 | 2012 | | | | 201 | 201 | | | | 000000 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2017 | 3 | 2015 | |
| CTH B (0.80) | Termini | 0.09 (473) | N | 1 | 35 | 15 | 2016 | | | | | | 00 | 00 | | | | 000000 | | A | 66 | 45 | 5 | | 4 | 000 | | | | | 2017 | | | | |
| Koenen Rd | | 0.97 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Termini | S Old Lyman Lake Rd (0.21) | 0.21 (1109) | N | 1 | 35 | 14 | 1978 | | | 4 | 0 | 0 | 102 | 102 | | | E | 000025 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 2 | 2015 | |
| Termini (0.21) | S Old Lyman Lake Rd | 0.76 (4013) | N | 2 | 35 | 20 | 1966 | | | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| Lien Rd | | 0.80 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Termini | Conley Rd | 0.30 (1584) | N | 2 | 35 | 16 | 1990 | | | 4 | 0 | 0 | 102 | 102 | | | E | 000005 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| Conley Rd | CTH B | 0.50 (2640) | N | 2 | 35 | 16 | 1990 | | | 4 | 0 | 0 | 102 | 102 | | | E | 000005 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
1-1-2018 Certification

TOWN OF OAKLAND (022)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------|---------------------|----|---|---------|----|------|-------|----|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| Lucas Rd | | 2.01 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| J. Hudasek Rd | County Forest Rd 707 | 1.34 (7075) | N | 1 | 35 | 8 | 1966 | | | 4 | 0 | 0 | 105 | 105 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 2 | 2015 | |
| County Forest Rd 707 | County Forest 714 (0.64) | 0.64 (3379) | N | 1 | 35 | 8 | 1966 | | | 4 | 0 | 0 | 105 | 105 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2018 | 2 | 2015 | |
| Lundgren Rd | | 0.40 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH B | Termini (0.25) | 0.25 (1320) | N | 2 | 35 | 20 | 2015 | | | 4 | 0 | 0 | 205 | 205 | | | E | 000005 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 5 | 2015 | |
| CTH B (0.25) | Termini | 0.15 (766) | N | 2 | 35 | 20 | 2015 | | | 4 | 0 | 0 | 205 | 205 | | | | 000000 | | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 5 | 2015 | |
| Lundquist Ln | | 0.16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Termini | S Lyman Lake Rd | 0.16 (845) | N | 2 | 35 | 20 | 2015 | | | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 5 | 2015 | |
| E Lyman Lake Rd | | 0.66 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH L | Parr Rd | 0.28 (1478) | N | 1 | 35 | 12 | 1990 | | | 4 | 0 | 0 | 102 | 102 | | | E | 000035 | | E | 40 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| Parr Rd | Ross Rd (0.22) | 0.22 (1162) | N | 1 | 35 | 12 | 1990 | | | 4 | 0 | 0 | 102 | 102 | | | E | 000035 | | E | 40 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| Parr Rd (0.22) | Ross Rd | 0.16 (844) | N | 1 | 57 | 12 | 1990 | | | 4 | 0 | 0 | 102 | 102 | | | E | 000035 | | E | 40 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
1-1-2018 Certification

TOWN OF OAKLAND (022)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---------------------------|---------------------|----|---|---------|----|------|-------|----|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| S Lyman Lake Rd | | 2.63 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| W Lyman Lake Rd | J. Hudasek Rd | 0.99 (5227) | N | 2 | 35 | 35 | 2015 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 5 | 2015 | |
| J. Hudasek Rd | J. Hudasek Rd | 0.41 (2165) | N | 2 | 35 | 35 | 2015 | | | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 5 | 2015 | |
| J. Hudasek Rd | Lundquist Ln | 0.40 (2112) | N | 2 | 35 | 35 | 2015 | | | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 5 | 2015 | |
| Lundquist Ln | CTH L | 0.83 (4382) | N | 2 | 35 | 35 | 2015 | | | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 5 | 2015 | |
| W Lyman Lake Rd | | 1.36 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| S Lyman Lake Rd | Termini | 1.36 (7181) | N | 1 | 30 | 8 | 1966 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 2 | 2015 | |
| Mabel Nelson Rd | | 1.73 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| S Old Lyman Lake Rd | CTH K (0.73) | 0.73 (3854) | N | 2 | 35 | 18 | 1990 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| S Old Lyman Lake Rd (0.73) | CTH K (1.48) | 0.75 (3960) | N | 2 | 35 | 18 | 1990 | | | 4 | 0 | 0 | 203 | 203 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| S Old Lyman Lake Rd (1.48) | CTH K (1.73) | 0.25 (1320) | N | 2 | 35 | 18 | 1990 | | | 4 | 0 | 0 | 203 | 203 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |

STATE OF WISCONSIN
 DEPARTMENT OF TRANSPORTATION
 WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
 1-1-2018 Certification

TOWN OF OAKLAND (022)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------|---------------------|----|---|---------|----|------|-------|----|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| McKinley Rd | | 0.59 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Termini | CTH V (0.05) | 0.05 (264) | N | 1 | 35 | 12 | 1997 | | | 4 | 0 | 0 | 101 | 101 | | | E | 000015 | | E | 30 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| Termini (0.05) | CTH V | 0.14 (739) | N | 1 | 35 | 8 | 1966 | | | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 30 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| CTH V | Termini (0.25) | 0.25 (1320) | N | 1 | 35 | 12 | 1981 | | | 4 | 0 | 0 | 104 | 104 | | | E | 000015 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| CTH V (0.25) | Termini | 0.15 (792) | N | 1 | 35 | 22 | 1993 | | | 4 | 0 | 0 | 104 | 104 | | | E | 000015 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| Mikrot Rd | | 1.48 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Abrahamson Rd (0.84) | Swamp Rd | 1.48 (7814) | N | 2 | 35 | 18 | 2004 | | | 4 | 0 | 0 | 202 | 202 | | | E | 000015 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 4 | 2015 | |
| Najt Rd | | 1.94 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Tri Lakes Rd | TN RD 54 | 0.07 (370) | N | 2 | 35 | 20 | 2011 | | | 4 | 0 | 0 | 102 | 102 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 5 | 2015 | |
| TN RD 54 | CTH B | 1.87 (9874) | N | 2 | 35 | 20 | 2011 | | | 4 | 0 | 0 | 102 | 102 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 5 | 2015 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
1-1-2018 Certification

TOWN OF OAKLAND (022)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------|---------------------|----|---|---------|----|------|-------|----|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| Neuman Rd | | 3.44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH A (0.50) | Eastman Rd | 0.46 (2429) | N | 2 | 35 | 18 | 2011 | | | 4 | 0 | 0 | 104 | 104 | | | E | 000035 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2018 | 3 | 2015 | |
| Eastman Rd | Stromquist Rd | 0.50 (2640) | N | 2 | 35 | 18 | 1966 | | | 4 | 0 | 0 | 104 | 104 | | | E | 000035 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 4 | 2015 | |
| Stromquist Rd | S Old Lyman Lake Rd | 0.98 (5174) | N | 2 | 35 | 18 | 1966 | | | 4 | 0 | 0 | 104 | 104 | | | E | 000035 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 4 | 2015 | |
| S Old Lyman Lake Rd | Jodell Rd | 1.01 (5333) | N | 2 | 35 | 18 | 2002 | | | 4 | 0 | 0 | 204 | 204 | | | E | 000035 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 4 | 2015 | |
| Jodell Rd | CTH K | 0.49 (2587) | N | 2 | 35 | 18 | 2002 | | | 4 | 0 | 0 | 204 | 204 | | | E | 000035 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 4 | 2015 | |
| Oakland Rd | | 1.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH A (0.50) | Craig Rd | 1.00 (5280) | N | 2 | 35 | 18 | 1988 | | | 4 | 0 | 0 | 105 | 105 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2018 | 2 | 2015 | |
| S Old Lyman Lake Rd | | 4.52 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Otto Rd | Koenen Rd | 0.50 (2640) | N | 2 | 35 | 18 | 1966 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| Koenen Rd | Clara Barton Rd | 0.50 (2640) | N | 2 | 35 | 18 | 1966 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| Clara Barton Rd | Wilkinson Rd | 0.50 (2640) | N | 2 | 35 | 18 | 1966 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| Wilkinson Rd | CTH B | 0.50 (2640) | N | 2 | 35 | 18 | 1966 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| CTH B | Neuman Rd | 1.01 (5333) | N | 2 | 35 | 16 | 1966 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| Neuman Rd | Mabel Nelson Rd | 1.51 (7973) | N | 2 | 35 | 16 | 1966 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 2 | 2015 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
1-1-2018 Certification

TOWN OF OAKLAND (022)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|----------------------------|---------------------|----|---|---------|----|------|-------|----|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| Oliphant Rd | | 1.89 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Tri Lakes Rd | S Lyman Lake Rd | 1.89 (9979) | N | 2 | 35 | 16 | 1990 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| Otto Rd | | 1.82 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Termini | S Old Lyman Lake Rd (0.47) | 0.47 (2482) | N | 1 | 30 | 10 | 2000 | | | 4 | 0 | 0 | 204 | 204 | | | E | 000005 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 4 | 2015 | |
| Termini (0.47) | S Old Lyman Lake Rd | 0.27 (1425) | N | 1 | 35 | 10 | 2000 | | | 4 | 0 | 0 | 104 | 104 | | | E | 000010 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 5 | 2015 | |
| S Old Lyman Lake Rd | TN RD 11 | 0.99 (5227) | N | 2 | 35 | 16 | 2000 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 5 | 2015 | |
| TN RD 11 | CTH B | 0.09 (475) | N | 2 | 35 | 16 | 2000 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 5 | 2015 | |
| Parr Rd | | 0.05 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| E Lyman Lake Rd | Termini | 0.05 (264) | N | 1 | 35 | 8 | 1966 | | | 4 | 0 | 0 | 104 | 104 | | | E | 000035 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| Pearson Rd | | 0.56 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Termini | Clara Barton Rd | 0.24 (1267) | N | 1 | 35 | 12 | 1975 | | | 4 | 0 | 0 | 104 | 104 | | | E | 000005 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| Clara Barton Rd | Termini | 0.32 (1690) | N | 1 | 35 | 14 | 1980 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000005 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| Pine Grove Rd | | 1.02 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH V | Brannan Rd | 1.02 (5386) | N | 2 | 35 | 16 | 2000 | | | 4 | 0 | 0 | 105 | 105 | | | A | 000050 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
1-1-2018 Certification

TOWN OF OAKLAND (022)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------|---------------------|----|---|---------|----|------|-------|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| Range Line Rd | | 0.99 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Brannan Rd | Clara Barton Rd | 0.99 (5227) | N | 2 | 35 | 20 | 2004 | | | 4 | 0 | 0 | 202 | 202 | | | E | 000035 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 4 | 2015 | |
| Rice Farm Rd | | 0.70 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH K | Termini (0.51) | 0.51 (2693) | N | 1 | 35 | 12 | 1966 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 40 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| CTH K (0.51) | Termini (0.52) | 0.01 (54) | N | 2 | 35 | 24 | 2006 | | | | | | 00 | 00 | | | | 000000 | | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| CTH K (0.52) | Termini | 0.18 (950) | N | 1 | 35 | 12 | 2006 | | | | | | 103 | 103 | | | | 000000 | | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| River Rd | | 0.34 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Jacksino Rd | Termini | 0.34 (1795) | N | 1 | 35 | 14 | 1980 | 12 | 2012 | 4 | 0 | 0 | 103 | 103 | | | E | 000005 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 2 | 2015 | |
| E Rockdale Rd | | 0.27 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH K | Big D Rd | 0.22 (1161) | N | 1 | 35 | 14 | 2013 | 10 | 2013 | 4 | 0 | 0 | 201 | 201 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 4 | 2015 | |
| Big D Rd | Termini | 0.04 (212) | N | 1 | 35 | 14 | 2013 | 10 | 2013 | 4 | 0 | 0 | 201 | 201 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 4 | 2015 | |
| Ross Rd | | 0.56 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Tri Lakes Rd | E Lyman Lake Rd | 0.25 (1320) | N | 2 | 35 | 20 | 2015 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 5 | 2015 | |
| E Lyman Lake Rd | Termini | 0.31 (1637) | N | 2 | 57 | 16 | 1966 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
1-1-2018 Certification

TOWN OF OAKLAND (022)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------|---------------------|----|---|---------|----|------|-------|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| Stone Rd | | 0.33 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Way Rd (0.47) | Termini | 0.33 (1742) | N | 1 | 35 | 12 | 1980 | | | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 4 | 2015 | |
| Stromquist Rd | | 0.58 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Termini | Neuman Rd | 0.34 (1795) | N | 1 | 35 | 12 | 1966 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000005 | | E | 40 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| Neuman Rd | Termini | 0.24 (1267) | N | 2 | 35 | 16 | 1978 | | | 4 | 0 | 0 | 202 | 202 | | | E | 000025 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 4 | 2015 | |
| Swamp Rd | | 2.05 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH V | Mikrot Rd | 1.53 (8078) | N | 2 | 35 | 16 | 1990 | | | 4 | 0 | 0 | 104 | 104 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 4 | 2015 | |
| Mikrot Rd | Way Rd (0.52) | 0.52 (2746) | N | 2 | 35 | 16 | 1990 | | | 4 | 0 | 0 | 104 | 104 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 4 | 2015 | |
| Thunder Hill Trl | | 0.45 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH A (0.58) | Eastman Rd | 0.45 (2376) | N | 1 | 35 | 14 | 2011 | 12 | 2012 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 40 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2018 | 5 | 2015 | |
| TN RD 11 | | 0.08 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH B | Otto Rd | 0.08 (422) | N | 1 | 35 | 14 | 2000 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 5 | 2015 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
1-1-2018 Certification

TOWN OF OAKLAND (022)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------|---------------------|----|---|---------|----|------|-------|------|---|------|----|----------|-----|--------|----|-----|--------|------|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| TN RD 54 | | 0.09 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Tri Lakes Rd | Unknown | 0.09 (475) | N | 2 | 35 | 20 | 2016 | | | 4 | 0 | 0 | 205 | 205 | | | E | 000075 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2017 | 4 | 2016 | |
| TN RD 56 | | 0.08 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH K | Turbett Rd | 0.08 (422) | N | 2 | 35 | 20 | 2000 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| Torgerson Rd | | 0.76 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Clara Barton Rd | Termini | 0.76 (4013) | N | 2 | 35 | 16 | 1990 | | | 4 | 0 | 0 | 102 | 102 | | | E | 000005 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| Tri Lakes Rd | | 4.89 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Tri Lakes Rd (0.77) | Finn Point Rd | 0.13 (686) | N | 2 | 70 | 18 | 2009 | | | 0 | 0 | 0 | 202 | 202 | | | E | 000075 | | E | 66 | 40 | 5 | | 4 | 000 | NON | | 00 | | | 2018 | 3 | 2015 | |
| Finn Point Rd | Dowling Lake Rd (0.35) | 0.35 (1848) | N | 2 | 65 | 18 | 2009 | 1 | 2015 | 0 | 0 | 0 | 202 | 202 | | | E | 000150 | | E | 66 | 40 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| Finn Point Rd (0.35) | Dowling Lake Rd | 0.19 (1003) | N | 2 | 70 | 18 | 2009 | 1 | 2015 | 0 | 0 | 0 | 202 | 202 | | | E | 000150 | | E | 66 | 40 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |
| Dowling Lake Rd | Oliphant Rd | 2.24 (11827) | N | 2 | 35 | 20 | 2016 | | | 4 | 0 | 0 | 205 | 205 | | | E | 000075 | | E | 50 | 40 | 5 | | 4 | 000 | NON | | 00 | | | 2017 | 4 | 2016 | |
| Oliphant Rd | TN RD 54 | 0.42 (2218) | N | 2 | 35 | 20 | 2016 | | | 4 | 0 | 0 | 205 | 205 | | | E | 000075 | | E | 50 | 40 | 5 | | 4 | 000 | NON | | 00 | | | 2017 | 4 | 2016 | |
| TN RD 54 | Najt Rd | 0.07 (370) | N | 2 | 35 | 20 | 2016 | | | 4 | 0 | 0 | 205 | 205 | | | E | 000075 | | E | 50 | 40 | 5 | | 4 | 000 | NON | | 00 | | | 2017 | 4 | 2016 | |
| Najt Rd | Ross Rd | 0.94 (4963) | N | 2 | 35 | 20 | 2016 | | | 4 | 0 | 0 | 205 | 205 | | | E | 000075 | | E | 50 | 40 | 5 | | 4 | 000 | NON | | 00 | | | 2017 | 4 | 2016 | |
| Ross Rd | CTH L | 0.55 (2904) | N | 2 | 57 | 18 | 1998 | | | 4 | 0 | 0 | 101 | 101 | | | T | 000070 | 2014 | E | 50 | 40 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |

STATE OF WISCONSIN
 DEPARTMENT OF TRANSPORTATION
 WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
 1-1-2018 Certification

TOWN OF OAKLAND (022)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------|---------------------|----|---|---------|----|------|-------|----|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| Turbett Rd | | 1.06 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH K | TN RD 56 | 0.14 (739) | N | 2 | 35 | 20 | 1966 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000035 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 5 | 2015 | |
| TN RD 56 | Clara Barton Rd | 0.92 (4858) | N | 2 | 35 | 20 | 1966 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000035 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 4 | 2015 | |
| Wilkinson Rd | | 0.75 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| S Old Lyman Lake Rd | Termini | 0.75 (3960) | N | 2 | 35 | 16 | 1990 | | | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2016 | 3 | 2015 | |