

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS**

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| | |
|-------------------|------------------------|
| Rd/St Name | Certified Miles |
|-------------------|------------------------|

| | |
|-----------|-------------|
| =>Ash Ave | 0.08 |
|-----------|-------------|

| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Balsam Ave (0.04) | Elm Ave | 0.03 (159) | N | 1 | 30 | 10 | 1966 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 1 | 2007 | |
| Elm Ave | Termini | 0.05 (264) | N | 1 | 30 | 10 | 1966 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 1 | 2007 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>B53 (1) | | 2.90 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|------|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| USH 53 | B53 (2) | 0.03 (158) | Y | 1 | 65 | 24 | 1999 | 0 | 0 | 0 | 304 | 304 | | | E | 000350 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 6 | 2012 | |
| B53 (2) | Jelich Rd | 0.44 (2323) | N | 2 | 65 | 24 | 1999 | 0 | 0 | 0 | 304 | 304 | | | E | 000990 | 2000 | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 6 | 2012 | |
| Jelich Rd | B53 (0.56) | 0.56 (2957) | N | 2 | 65 | 24 | 1999 | 4 | 0 | 0 | 304 | 304 | | | E | 000990 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 6 | 2012 | |
| B53 (0.07) | Biller Loop | 0.10 (528) | N | 2 | 65 | 24 | 1999 | 3 | 0 | 0 | 303 | 303 | | | T | 000920 | 2012 | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 6 | 2012 | |
| Biller Loop | Jack Pine Ave N | 0.20 (1056) | N | 2 | 65 | 24 | 1999 | 3 | 0 | 0 | 303 | 303 | | | A | 000990 | 1999 | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 6 | 2012 | |
| Jack Pine Ave N (0.04) | B53 | 0.04 (211) | N | 2 | 65 | 24 | 1999 | 3 | 0 | 0 | 304 | 304 | 20 | 15 | A | 000990 | 1999 | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 6 | 2012 | |
| B53 (0.11) | CTH AA | 1.01 (5333) | N | 2 | 65 | 24 | 1999 | 4 | 0 | 0 | 303 | 303 | | | E | 000830 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 6 | 2012 | |
| CTH AA | B53 (2) | 0.38 (2006) | N | 2 | 65 | 24 | 1999 | 4 | 0 | 0 | 303 | 303 | | | T | 001200 | 2010 | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 6 | 2012 | |
| B53 (2) | USH 53 | 0.06 (317) | N | 2 | 65 | 24 | 1999 | 4 | 0 | 0 | 303 | 303 | | | T | 001200 | 2010 | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 6 | 2012 | |
| USH 53 | USH 53 | 0.08 (422) | N | 2 | 65 | 24 | 1999 | 4 | 0 | 0 | 303 | 303 | | | T | 001200 | 2010 | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 6 | 2012 | |

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS**

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>B53 (2) | | 0.15 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| USH 53 | B53 (1) | 0.03 (158) | N | 1 | 65 | 17 | 1999 | 0 | 0 | 0 | 304 | 304 | | | E | 000550 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 6 | 2012 | |
| B53 (1) | USH 53 | 0.12 (634) | Y | 1 | 65 | 15 | 1999 | 0 | 0 | 0 | 305 | 305 | | | E | 000630 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 6 | 2012 | |

| =>Bakken Rd | | 1.15 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH A | Jersett Rd | 1.15 (6072) | N | 2 | 30 | 18 | 1970 | 4 | 0 | 0 | 103 | 103 | | | E | 000005 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>Baldwin Ave | | 1.75 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| S 3rd St W (0.07) | Ryden Dr | 0.01 (53) | N | 2 | 65 | 22 | 1979 | 4 | 0 | 0 | 203 | 203 | | | E | 000015 | | E | 66 | 41 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 7 | 2007 | |
| Ryden Dr | S 5th St W | 0.14 (739) | N | 2 | 70 | 22 | 1979 | 4 | 0 | 0 | 203 | 203 | | | E | 000015 | | E | 66 | 41 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 7 | 2007 | |
| S 5th St W | USH 53 (0.03) | 0.03 (158) | N | 2 | 70 | 22 | 1979 | 4 | 0 | 0 | 203 | 203 | | | E | 000015 | | E | 66 | 41 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 7 | 2007 | |
| S 5th St W (0.03) | USH 53 (0.15) | 0.12 (634) | N | 2 | 70 | 24 | 1985 | 4 | 0 | 0 | 202 | 202 | | | E | 000015 | | E | 66 | 41 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 7 | 2007 | |
| S 5th St W (0.15) | USH 53 | 0.05 (264) | N | 2 | 70 | 24 | 1999 | 4 | 0 | 0 | 205 | 205 | | | E | 000015 | | E | 66 | 41 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 7 | 2007 | |
| USH 53 (0.14) | Cemetery Rd | 0.14 (740) | N | 2 | 57 | 24 | 1985 | 4 | 0 | 0 | 202 | 202 | | | E | 000015 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 7 | 2007 | |
| Cemetery Rd | Ferguson Rd | 1.01 (5333) | N | 2 | 35 | 18 | 1990 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 2 | 2007 | |
| Ferguson Rd | Termini | 0.25 (1320) | N | 1 | 35 | 12 | 1975 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 1 | 2007 | |

| =>Bass Lake Rd (1) | | 0.81 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| County Forest 712 | Bass Lake Rd (2) | 0.38 (2006) | N | 1 | 30 | 10 | 1966 | 4 | 0 | 0 | 101 | 101 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |
| Bass Lake Rd (2) | Muskrat Lake Rd | 0.43 (2270) | N | 1 | 30 | 10 | 1966 | 4 | 0 | 0 | 101 | 101 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS**

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>Bass Lake Rd (2) | | 0.15 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Bass Lake Rd (1) | Termini | 0.15 (792) | N | 1 | 30 | 8 | 1966 | 4 | 0 | 0 | 101 | 101 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |

| =>Beck Rd | | 1.53 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Roos Rd | Pierce Rd | 1.53 (8078) | N | 2 | 35 | 16 | 1966 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 5 | 2007 | |

| =>Biller Loop | | 0.61 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| B53 | Oak Hill Rd | 0.25 (1320) | N | 2 | 70 | 20 | 2003 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 7 | 2007 | |
| Oak Hill Rd | Smith Dr (0.16) | 0.16 (845) | N | 2 | 70 | 18 | 2003 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2010 | 7 | 2007 | |
| Oak Hill Rd (0.16) | Smith Dr | 0.04 (214) | N | 2 | 70 | 20 | 2003 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2010 | 7 | 2007 | |
| Smith Dr | B53 (1) | 0.17 (895) | N | 2 | 70 | 20 | 2003 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 7 | 2007 | |

| =>Bill Ramel Rd | | 0.28 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Ramel Rd | Termini | 0.28 (1478) | N | 2 | 30 | 16 | 1980 | 4 | 0 | 0 | 202 | 202 | | | E | 000005 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 2 | 2007 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>Brancel Rd | | 0.63 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Stone Rd | Stone Rd | 0.17 (898) | N | 2 | 65 | 20 | 2012 | 4 | 0 | 0 | 202 | 202 | | | E | 000035 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2013 | 10 | 2012 | |
| Stone Rd | Termini (0.28) | 0.28 (1479) | N | 2 | 55 | 18 | 2007 | 4 | 0 | 0 | 000 | 000 | | | E | 000035 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | |
| Stone Rd (0.28) | Termini | 0.18 (950) | N | 1 | 55 | 12 | 1975 | 4 | 0 | 0 | 102 | 102 | | | E | 000035 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | |

| =>Bunch Rd | | 0.17 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Tracy Rd | Nakoda Rd (2) | 0.05 (264) | N | 2 | 70 | 16 | 1998 | 4 | 0 | 0 | 201 | 201 | | | E | 000035 | | E | 40 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | |
| Nakoda Rd (2) | CTH A | 0.12 (634) | N | 2 | 70 | 16 | 1998 | 4 | 0 | 0 | 201 | 201 | | | E | 000035 | | E | 40 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | |

| =>Burma Rd | | 1.46 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH M (1.31) | Leusman Rd | 1.46 (7709) | N | 2 | 70 | 16 | 1966 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 2 | 2007 | |

| =>Cemetery Loop Rd | | 0.23 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Cemetery Rd | Cemetery Rd | 0.23 (1214) | N | 2 | 35 | 12 | 1993 | 4 | 0 | 0 | 101 | 101 | | | | 000000 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 5 | 2007 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>Cemetery Rd | | 3.28 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Lucas Ave (0.08) | Baldwin Ave | 0.25 (1320) | N | 2 | 65 | 22 | 2009 | 4 | 0 | 0 | 201 | 201 | | | E | 000075 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 4 | 2007 | |
| Baldwin Ave | Cemetery Loop Rd | 0.25 (1320) | N | 2 | 65 | 22 | 2009 | 4 | 0 | 0 | 202 | 202 | | | E | 000035 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2010 | 4 | 2007 | |
| Cemetery Loop Rd | Cemetery Loop Rd | 0.19 (1003) | N | 2 | 65 | 22 | 2009 | 4 | 0 | 0 | 202 | 202 | | | E | 000035 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2010 | 4 | 2007 | |
| Cemetery Loop Rd | Ramel Rd | 0.55 (2904) | N | 2 | 65 | 22 | 2009 | 4 | 0 | 0 | 202 | 202 | | | E | 000035 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2010 | 4 | 2007 | |
| Ramel Rd | Schafer Batting Loop | 0.07 (370) | N | 2 | 65 | 22 | 2009 | 4 | 0 | 0 | 203 | 203 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2010 | 4 | 2007 | |
| Schafer Batting Loop | Schafer Batting Loop | 0.61 (3221) | N | 2 | 70 | 20 | 1985 | 4 | 0 | 0 | 203 | 203 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | |
| Schafer Batting Loop | Leusman Rd | 0.32 (1690) | N | 2 | 70 | 20 | 1985 | 4 | 0 | 0 | 203 | 203 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | |
| Leusman Rd | Center Bird Rd (0.29) | 0.29 (1531) | N | 2 | 70 | 22 | 1985 | 4 | 0 | 0 | 103 | 103 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | |
| Leusman Rd (0.29) | Center Bird Rd | 0.75 (3960) | N | 2 | 70 | 22 | 2001 | 4 | 0 | 0 | 202 | 202 | | | E | 000035 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | |

| =>Cheney Lake Rd | | 1.48 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Jersett Rd | Sandman Rd | 1.48 (7814) | N | 1 | 30 | 14 | 1966 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>Colville Rd | | 0.06 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|------|-----------|------|--|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | R | | YR | | |
| Patterson Rd | Termini | 0.04 (211) | N | 2 | 70 | 21 | 1998 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 7 | 2007 | | |

| =>Copeland Rd | | 0.67 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|------|-----------|------|--|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | R | | YR | | |
| Ramel Rd | Termini (0.67) | 0.67 (3538) | N | 2 | 35 | 22 | 1966 | 4 | 0 | 0 | 000 | 000 | | | E | 000005 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | | |

| =>Crowshaw Rd (1) | | 1.24 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|------|-----------|------|--|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | R | | YR | | |
| Sjoberg Rd | Crowshaw Rd (2) | 0.38 (2006) | N | 2 | 35 | 18 | 1966 | 4 | 0 | 0 | 104 | 104 | | | E | 000015 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | | |
| Crowshaw Rd (2) | Termini | 0.73 (3854) | N | 1 | 35 | 12 | 1966 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | | |

| =>Crowshaw Rd (2) | | 0.28 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|------|-----------|------|--|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | R | | YR | | |
| Sjoberg Rd | Crowshaw Rd (1) | 0.28 (1478) | N | 2 | 35 | 16 | 1990 | 4 | 0 | 0 | 104 | 104 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>CTH A | | 16.04 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|------|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Lucas Rd (1.87) | Norwood Rd | 1.04 (5491) | N | 2 | 70 | 22 | 1985 | 4 | 0 | 0 | 102 | 102 | | | E | 000075 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 3 | 2012 | |
| Norwood Rd | Roos Rd (0.37) | 0.37 (1954) | N | 2 | 70 | 22 | 1985 | 4 | 0 | 0 | 102 | 102 | | | E | 000075 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 3 | 2012 | |
| Norwood Rd (0.37) | Roos Rd | 0.50 (2640) | N | 2 | 70 | 22 | 1985 | 4 | 0 | 0 | 202 | 202 | | | E | 000075 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 3 | 2012 | |
| Roos Rd | Peterson Rd | 1.50 (7920) | N | 2 | 70 | 22 | 1985 | 4 | 0 | 0 | 202 | 202 | | | E | 000075 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 3 | 2012 | |
| Peterson Rd | Westerlund Loop | 0.51 (2693) | N | 2 | 70 | 22 | 1985 | 4 | 0 | 0 | 103 | 103 | | | A | 000520 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 3 | 2012 | |
| Westerlund Loop | Othmer Rd | 0.50 (2640) | N | 2 | 70 | 22 | 1985 | 4 | 0 | 0 | 103 | 103 | | | A | 000520 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 3 | 2012 | |
| Othmer Rd | Stewart Rd | 0.50 (2640) | N | 2 | 70 | 22 | 1985 | 4 | 0 | 0 | 103 | 103 | | | A | 000520 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 3 | 2012 | |
| Stewart Rd | Ferguson Rd | 0.49 (2587) | N | 2 | 70 | 22 | 1985 | 4 | 0 | 0 | 103 | 103 | | | A | 000520 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 3 | 2012 | |
| Ferguson Rd | Cemetery Rd | 1.01 (5333) | N | 2 | 70 | 22 | 1985 | 4 | 0 | 0 | 103 | 103 | | | T | 000330 | 2010 | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 3 | 2012 | |
| S 3rd St E | Ash Ave | 0.14 (739) | N | 2 | 70 | 24 | 2009 | 4 | 0 | 0 | 203 | 203 | 0 | 0 | T | 000610 | 2012 | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 8 | 2012 | |
| Ash Ave | Stone Rd | 0.81 (4277) | N | 2 | 70 | 24 | 2009 | 4 | 0 | 0 | 203 | 203 | 0 | 0 | A | 000560 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 8 | 2012 | |
| Stone Rd | CTH AA | 0.34 (1795) | N | 2 | 70 | 24 | 2009 | 4 | 0 | 0 | 203 | 203 | 0 | 0 | A | 000560 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 8 | 2012 | |
| CTH AA | Hendry Rd | 0.25 (1320) | N | 2 | 70 | 24 | 2009 | 4 | 0 | 0 | 203 | 203 | 0 | 0 | A | 000440 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 10 | 2012 | |

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS**

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|------|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Hendry Rd | Bunch Rd | 0.06 (317) | N | 2 | 70 | 24 | 2009 | 4 | 0 | 0 | 203 | 203 | 0 | 0 | A | 000440 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 10 | 2012 | |
| Bunch Rd | Heyer Rd | 0.28 (1478) | N | 2 | 70 | 24 | 2009 | 4 | 0 | 0 | 203 | 203 | 0 | 0 | A | 000440 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 10 | 2012 | |
| Heyer Rd | CTH P | 0.89 (4699) | N | 2 | 70 | 24 | 2009 | 4 | 0 | 0 | 203 | 203 | 0 | 0 | T | 001200 | 2012 | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 10 | 2012 | |
| CTH P | TN RD 43 | 0.33 (1727) | N | 2 | 70 | 24 | 2009 | 4 | 0 | 0 | 203 | 203 | 0 | 0 | A | 000350 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 10 | 2012 | |
| TN RD 43 | Jersett Rd | 0.14 (755) | N | 2 | 70 | 24 | 2009 | 4 | 0 | 0 | 203 | 203 | 0 | 0 | A | 000350 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 10 | 2012 | |
| Jersett Rd | Patterson Rd | 0.34 (1795) | N | 2 | 70 | 24 | 2009 | 4 | 0 | 0 | 203 | 203 | 0 | 0 | A | 000350 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 10 | 2012 | |
| Patterson Rd | Scenic Dr | 0.09 (475) | N | 2 | 70 | 24 | 2009 | 4 | 0 | 0 | 203 | 203 | 0 | 0 | A | 000350 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 10 | 2012 | |
| Scenic Dr | Jackson Dr | 0.41 (2165) | N | 2 | 70 | 24 | 2009 | 4 | 0 | 0 | 203 | 203 | 0 | 0 | T | 001400 | 2012 | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 10 | 2012 | |
| Jackson Dr | Long Lake Rd (0.16) | 0.16 (860) | N | 2 | 70 | 24 | 2009 | 4 | 0 | 0 | 203 | 203 | 0 | 0 | A | 000350 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 10 | 2012 | |
| Jackson Dr (0.16) | Long Lake Rd (0.23) | 0.07 (369) | N | 2 | 70 | 24 | 2006 | 4 | 0 | 0 | 203 | 203 | 0 | 0 | A | 000350 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 8 | 2012 | |
| Jackson Dr (0.23) | Long Lake Rd (0.40) | 0.17 (883) | N | 2 | 70 | 24 | 2006 | 3 | 0 | 0 | 203 | 203 | 0 | 0 | A | 000350 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 8 | 2012 | |
| Jackson Dr (0.40) | Long Lake Rd | 0.06 (317) | N | 2 | 70 | 24 | 2006 | 3 | 0 | 0 | 203 | 203 | 0 | 0 | E | 000150 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 8 | 2012 | |
| Long Lake Rd | Private | 0.56 (2957) | N | 2 | 70 | 24 | 2006 | 3 | 0 | 0 | 106 | 106 | | | E | 000150 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 8 | 2012 | |
| Private | Bakken Rd | 0.45 (2376) | N | 2 | 70 | 24 | 2006 | 3 | 0 | 0 | 106 | 106 | | | E | 000150 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 8 | 2012 | |

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS**

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Bakken Rd | Twin Lakes Rd | 1.04 (5491) | N | 2 | 70 | 24 | 2006 | 3 | 0 | 0 | 106 | 106 | | | E | 000150 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 8 | 2012 | |
| Twin Lakes Rd | Simms Lake Rd | 3.00 (15840) | N | 2 | 70 | 24 | 2006 | 3 | 0 | 0 | 106 | 106 | | | E | 000150 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 8 | 2012 | |

=>CTH AA **0.81**

| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|------|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH A | Reinsberg Rd (0.43) | 0.43 (2279) | N | 2 | 65 | 24 | 1998 | 4 | 0 | 0 | 202 | 202 | | | T | 000830 | 2012 | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 5 | 2012 | |
| CTH A (0.43) | Reinsberg Rd | 0.13 (678) | N | 2 | 70 | 24 | 1985 | 4 | 0 | 0 | 202 | 202 | | | T | 000830 | 2012 | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 5 | 2012 | |
| Reinsberg Rd | B53 (1) (0.12) | 0.12 (634) | N | 2 | 70 | 24 | 1985 | 4 | 0 | 0 | 202 | 202 | | | A | 000430 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 5 | 2012 | |
| Reinsberg Rd (0.12) | B53 (1) | 0.14 (739) | N | 2 | 70 | 24 | 1985 | 4 | 0 | 0 | 102 | 102 | | | A | 000430 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 5 | 2012 | |

=>CTH E **0.07**

| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| USH 53 (0.07) | Bebe Rd (0.14) | 0.07 (369) | N | 2 | 65 | 22 | 2005 | 4 | 0 | 0 | 203 | 203 | | | E | 000075 | | E | 66 | 45 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 6 | 2012 | |

=>CTH P **2.78**

| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|------|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Stone Chimney Rd | CTH A | 2.78 (14678) | N | 2 | 70 | 22 | 1978 | 4 | 0 | 0 | 103 | 103 | | | T | 000210 | 2012 | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2013 | 3 | 2012 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>Cut Across Rd | | 1.28 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Long Lake Rd | Hennessy Rd | 0.23 (1214) | N | 2 | 35 | 16 | 1966 | 4 | 0 | 0 | 104 | 104 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |
| Hennessy Rd | Estway Rd | 0.15 (792) | N | 1 | 35 | 14 | 1966 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |
| Estway Rd | Muskrat Lake Rd | 0.90 (4752) | N | 1 | 35 | 14 | 1966 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |

| =>Cut-A-Way Rd | | 1.50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Center Bird Rd (0.25) | Grouse Rd | 0.75 (3960) | N | 1 | 35 | 14 | 1990 | 4 | 0 | 0 | 104 | 104 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 2 | 2007 | |
| Grouse Rd | USH 53 | 0.50 (2640) | N | 1 | 35 | 14 | 1990 | 4 | 0 | 0 | 104 | 104 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 2 | 2007 | |
| Cutaway Rd (0.25) | Cut A Way Dr | 0.25 (1320) | N | 1 | 35 | 10 | 1966 | 4 | 0 | 0 | 104 | 104 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 2 | 2007 | |

| =>Ellen Smith Rd | | 1.24 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Cemetery Rd (0.25) | Gander Rd (0.50) | 0.25 (1320) | N | 2 | 35 | 20 | 1966 | 4 | 0 | 0 | 203 | 203 | | | E | 000025 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 3 | 2007 | |
| Cemetery Rd (0.50) | Gander Rd | 0.50 (2640) | N | 2 | 35 | 20 | 1976 | 4 | 0 | 0 | 103 | 103 | | | E | 000075 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 3 | 2007 | |
| Gander Rd | Nyquist Rd | 0.49 (2588) | N | 2 | 35 | 20 | 1976 | 4 | 0 | 0 | 103 | 103 | | | E | 000075 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2011 | 3 | 2007 | |

STATE OF WISCONSIN
 DEPARTMENT OF TRANSPORTATION
 WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
 1-1-2013 Certification

Town Of Solon Springs (026)

| =>Engstad Rd | | 1.26 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Jackson Dr | Lord Rd (0.35) | 0.35 (1848) | N | 2 | 35 | 18 | 1990 | 4 | 0 | 0 | 102 | 102 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | |
| Jackson Dr (0.35) | Lord Rd | 0.89 (4699) | N | 2 | 35 | 18 | 1993 | 4 | 0 | 0 | 102 | 102 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 5 | 2007 | |
| N Town Ln (0.49) | Town Line Rd | 0.02 (106) | N | 2 | 70 | 18 | 1990 | 4 | 0 | 0 | 103 | 103 | | | E | 000035 | | E | 50 | 40 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 5 | 2007 | |

| =>Estway Rd | | 0.55 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Cut Across Rd | Private | 0.29 (1531) | N | 1 | 35 | 12 | 1966 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |
| Private | Termini | 0.26 (1373) | N | 1 | 35 | 12 | 1966 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>Ferguson Rd | | 3.99 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Termini | CTH A | 0.50 (2640) | N | 2 | 35 | 16 | 1966 | 4 | 0 | 0 | 101 | 101 | | | E | 000015 | | E | 40 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 1 | 2007 | |
| CTH A | Baldwin Ave | 0.50 (2640) | N | 2 | 70 | 20 | 1997 | 4 | 0 | 0 | 201 | 201 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 6 | 2007 | |
| Baldwin Ave | Ramel Rd | 1.00 (5280) | N | 2 | 70 | 20 | 1997 | 4 | 0 | 0 | 201 | 201 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 6 | 2007 | |
| Ramel Rd | Leusman Rd | 0.99 (5227) | N | 2 | 70 | 20 | 1993 | 4 | 0 | 0 | 202 | 202 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 6 | 2007 | |
| Leusman Rd | Center Bird Rd (1.00) | 1.00 (5280) | N | 2 | 35 | 16 | 1971 | 4 | 0 | 0 | 103 | 103 | | | E | 000035 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 3 | 2007 | |

| =>Gander Rd | | 0.03 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Ellen Smith Rd | Termini | 0.03 (158) | N | 1 | 25 | 10 | 1966 | 4 | 0 | 0 | 101 | 101 | | | E | 000015 | | E | 20 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 1 | 2007 | |

| =>Glady's | | 0.14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Lord Rd | Private | 0.14 (739) | N | 2 | 70 | 20 | 1974 | 4 | 0 | 0 | 101 | 101 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 6 | 2007 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>Gregerson Rd | | 1.02 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|------|-----------|------|--|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | R | | YR | | |
| CTH L (3.36) | Tom Green Rd | 1.02 (5385) | N | 1 | 30 | 14 | 1966 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 1 | 2007 | | |

| =>Hanson Rd | | 0.11 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|------|-----------|------|--|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | R | | YR | | |
| Private | Island Lake Rd | 0.11 (581) | N | 1 | 70 | 12 | 2004 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 9 | 2007 | | |

| =>Harroun Rd | | 0.63 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|------|-----------|------|--|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | R | | YR | | |
| Tom Green Rd | E Thoorsell Rd (2) | 0.38 (2006) | N | 2 | 35 | 16 | 2007 | 4 | 0 | 0 | 202 | 202 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2010 | 4 | 2007 | | |
| E Thoorsell Rd (2) | E Thoorsell Rd (2) | 0.25 (1320) | N | 2 | 35 | 16 | 2007 | 4 | 0 | 0 | 202 | 202 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2010 | 4 | 2007 | | |

| =>Heidtke Dr | | 0.13 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|------|-----------|------|--|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | R | | YR | | |
| Termini | Pettit Dr | 0.07 (370) | N | 2 | 30 | 18 | 1990 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | | |
| Pettit Dr | Termini | 0.06 (317) | N | 2 | 70 | 18 | 1990 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 7 | 2007 | | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>Hendry Rd | | 0.34 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|------|-----------|------|--|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | R | | YR | | |
| Termini | Nakoda Rd (2) | 0.03 (158) | N | 1 | 30 | 12 | 1970 | 4 | 0 | 0 | 103 | 103 | | | E | 000005 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 1 | 2007 | | |
| Nakoda Rd (2) | Tracy Rd | 0.13 (686) | N | 2 | 55 | 20 | 1970 | 4 | 0 | 0 | 000 | 000 | | | E | 000005 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | | |
| Tracy Rd | CTH A | 0.18 (950) | N | 2 | 55 | 20 | 1970 | 4 | 0 | 0 | 000 | 000 | | | E | 000005 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | | |

| =>Hennessy Rd | | 0.27 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|------|-----------|------|--|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | R | | YR | | |
| Cut Across Rd | Termini | 0.27 (1426) | N | 1 | 35 | 12 | 1966 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 2 | 2007 | | |

| =>Heyer Rd | | 0.11 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|------|-----------|------|--|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | R | | YR | | |
| CTH A | Termini | 0.11 (581) | N | 1 | 35 | 12 | 1966 | 4 | 0 | 0 | 101 | 101 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 2 | 2007 | | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>Holly Lucius Rd | | 1.03 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|------|-----------|------|--|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | R | | YR | | |
| Termini | USH 53 | 0.50 (2640) | N | 1 | 70 | 14 | 1972 | 4 | 0 | 0 | 105 | 105 | | | E | 000015 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 2 | 2007 | | |
| USH 53 | B53 (0.44) | 0.44 (2319) | N | 2 | 70 | 22 | 2001 | 4 | 0 | 0 | 202 | 202 | | | E | 000015 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 9 | 2007 | | |
| USH 53 (0.88) | B53 (0.90) | 0.02 (118) | N | 2 | 55 | 20 | 1980 | 3 | 0 | 0 | 202 | 202 | | | | 000000 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 7 | 2007 | | |
| USH 53 (0.90) | B53 (0.96) | 0.06 (293) | N | 2 | 70 | 20 | 1980 | 4 | 0 | 0 | 000 | 000 | | | E | 000035 | | E | 40 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 9 | 2007 | | |

| =>Island Lake Rd | | 1.06 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|------|-----------|------|--|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | R | | YR | | |
| Long Lake Rd | Hanson Rd | 0.82 (4330) | N | 2 | 70 | 16 | 2003 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 9 | 2007 | | |
| Hanson Rd | Muskrat Lake Rd | 0.24 (1267) | N | 1 | 35 | 12 | 1966 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>Jackson Dr | | 1.28 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|------|-----------|------|--|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | R | | YR | | |
| CTH A | Engstad Rd | 0.59 (3115) | N | 2 | 70 | 20 | 1996 | 4 | 0 | 0 | 202 | 202 | | | E | 000075 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 5 | 2007 | | |
| Engstad Rd | Scenic Dr | 0.13 (686) | N | 2 | 70 | 20 | 1996 | 4 | 0 | 0 | 202 | 202 | | | E | 000075 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 5 | 2007 | | |
| Scenic Dr | Termini (0.13) | 0.13 (686) | N | 1 | 70 | 10 | 1966 | 4 | 0 | 0 | 101 | 101 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 1 | 2007 | | |
| Scenic Dr (0.13) | Termini | 0.43 (2271) | N | 1 | 70 | 14 | 1990 | 4 | 0 | 0 | 101 | 101 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 6 | 2007 | | |

| =>Jelich Rd | | 0.04 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|------|-----------|------|--|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | R | | YR | | |
| B53 (1) | Termini (0.04) | 0.04 (211) | N | 1 | 35 | 12 | 2003 | 4 | 0 | 0 | 102 | 102 | | | E | 000005 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>Jersett Rd | | 6.39 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Sandman Rd | Cheney Lake Rd | 2.57 (13570) | N | 2 | 30 | 18 | 2003 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |
| Cheney Lake Rd | Bakken Rd | 2.58 (13622) | N | 2 | 30 | 18 | 1966 | 4 | 0 | 0 | 103 | 103 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |
| Bakken Rd | Lake Of Woods Loop | 0.16 (845) | N | 2 | 57 | 20 | 1996 | 4 | 0 | 0 | 202 | 202 | | | E | 000035 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | |
| Lake Of Woods Loop | TN RD 26 | 0.16 (845) | N | 2 | 70 | 20 | 1996 | 4 | 0 | 0 | 202 | 202 | | | E | 000035 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | |
| TN RD 26 | Lake Of Woods Loop | 0.25 (1320) | N | 2 | 35 | 20 | 1996 | 4 | 0 | 0 | 202 | 202 | | | E | 000035 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | |
| Lake Of Woods Loop | CTH A | 0.67 (3538) | N | 2 | 70 | 20 | 1996 | 4 | 0 | 0 | 202 | 202 | | | E | 000035 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | |

| =>Kjell Rd | | 0.26 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Sjoberg Rd | Termini (0.10) | 0.10 (528) | N | 2 | 70 | 20 | 2007 | 4 | 0 | 0 | 204 | 204 | | | E | 000005 | | E | 40 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 10 | 2007 | |
| Sjoberg Rd (0.10) | Termini (0.26) | 0.16 (845) | N | 1 | 70 | 12 | 2007 | 4 | 0 | 0 | 104 | 104 | | | E | 000005 | | E | 40 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 10 | 2007 | |

| =>Lake Of Woods Loop | | 1.06 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Jersett Rd | Jersett Rd | 1.06 (5597) | N | 2 | 70 | 18 | 1972 | 4 | 0 | 0 | 101 | 101 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 9 | 2007 | |

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS**

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>Lavoy Rd | | 0.25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|------|-----------|------|----|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | YR | | R | YR | |
| N Town Ln | Termini | 0.25 (1320) | N | 2 | 35 | 16 | 1966 | 4 | 0 | 0 | 105 | 105 | | | E | 000025 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | | |

| =>Leusman Rd | | 3.46 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|------|-----------|------|----|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | YR | | R | YR | |
| Waterbury Rd (0.97) | Burma Rd (2.37) | 1.40 (7392) | N | 2 | 35 | 16 | 1966 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 2 | 2007 | | |
| Waterbury Rd (2.37) | Burma Rd | 0.27 (1426) | N | 2 | 35 | 18 | 1966 | 4 | 0 | 0 | 105 | 105 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 2 | 2007 | | |
| Burma Rd | Ferguson Rd | 0.81 (4277) | N | 2 | 35 | 18 | 1966 | 4 | 0 | 0 | 105 | 105 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 2 | 2007 | | |
| Ferguson Rd | Cemetery Rd | 0.98 (5174) | N | 2 | 35 | 18 | 1966 | 4 | 0 | 0 | 105 | 105 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 2 | 2007 | | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>Long Lake Rd | | 2.15 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|------|-----------|------|--|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | R | | YR | | |
| N Town Ln | Cut Across Rd | 1.31 (6917) | N | 2 | 70 | 20 | 1988 | 4 | 0 | 0 | 203 | 203 | | | E | 000035 | | E | 50 | 40 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | | |
| Cut Across Rd | Lord Rd | 0.27 (1426) | N | 2 | 70 | 22 | 1998 | 4 | 0 | 0 | 202 | 202 | | | E | 000035 | | E | 50 | 40 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 5 | 2007 | | |
| Lord Rd | Island Lake Rd | 0.06 (317) | N | 2 | 70 | 20 | 1993 | 4 | 0 | 0 | 102 | 102 | | | E | 000075 | | E | 66 | 40 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 5 | 2007 | | |
| Island Lake Rd | CTH A (0.41) | 0.41 (2165) | N | 2 | 70 | 20 | 1993 | 4 | 0 | 0 | 102 | 102 | | | E | 000075 | | E | 66 | 40 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 5 | 2007 | | |
| Island Lake Rd (0.41) | CTH A | 0.10 (528) | N | 2 | 70 | 22 | 1996 | 4 | 0 | 0 | 202 | 202 | | | E | 000075 | | E | 66 | 40 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 5 | 2007 | | |

| =>Lord Rd | | 1.17 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|------|-----------|------|--|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | R | | YR | | |
| Long Lake Rd | Engstad Rd | 1.05 (5544) | N | 2 | 70 | 20 | 1993 | 4 | 0 | 0 | 101 | 101 | | | E | 000035 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 6 | 2007 | | |
| Engstad Rd | Gladys | 0.10 (528) | N | 2 | 70 | 20 | 1993 | 4 | 0 | 0 | 102 | 102 | | | E | 000035 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 6 | 2007 | | |
| Gladys | Termini | 0.02 (106) | N | 1 | 30 | 14 | 1993 | 4 | 0 | 0 | 101 | 101 | | | E | 000035 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>Muskrat Lake Rd | | 2.57 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Twin Lakes Rd | County Forest 701 | 0.80 (4224) | N | 1 | 30 | 10 | 1966 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 2 | 2007 | |
| County Forest 701 | Bass Lake Rd (1) | 0.30 (1584) | N | 1 | 30 | 10 | 1966 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 2 | 2007 | |
| Bass Lake Rd (1) | Cut Across Rd | 0.43 (2270) | N | 1 | 30 | 10 | 1966 | 4 | 0 | 0 | 101 | 101 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 2 | 2007 | |
| Cut Across Rd | Island Lake Rd | 0.29 (1531) | N | 1 | 30 | 12 | 1966 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |
| Island Lake Rd | Bakken Rd | 0.75 (3960) | N | 2 | 30 | 16 | 1966 | 4 | 0 | 0 | 106 | 106 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |

| =>Nakoda Rd (1) | | 0.05 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Nakoda Rd (2) | Tracy Rd | 0.05 (264) | N | 1 | 35 | 12 | 1966 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 2 | 2007 | |

| =>Nakoda Rd (2) | | 0.34 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Bunch Rd | Nakoda Rd (1) | 0.09 (475) | N | 1 | 35 | 8 | 1966 | 4 | 0 | 0 | 104 | 104 | | | E | 000035 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 2 | 2007 | |
| Nakoda Rd (1) | Tracy Rd | 0.07 (370) | N | 1 | 35 | 8 | 1966 | 4 | 0 | 0 | 104 | 104 | | | E | 000035 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 2 | 2007 | |
| Tracy Rd | Hendry Rd | 0.18 (950) | N | 2 | 55 | 16 | 1990 | 4 | 0 | 0 | 101 | 101 | | | E | 000005 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | |

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS**

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>Norwood Rd | | 0.26 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH A | Termini (0.23) | 0.23 (1214) | N | 2 | 35 | 22 | 2001 | 4 | 0 | 0 | 202 | 202 | | | E | 000015 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 2 | 2007 | |
| CTH A (0.23) | Termini | 0.03 (159) | N | 1 | 35 | 8 | 1966 | 4 | 0 | 0 | 000 | 000 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 2 | 2007 | |

| =>Nyquist Rd | | 0.98 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Ellen Smith Rd | USH 53 | 0.73 (3854) | N | 2 | 35 | 20 | 1976 | 4 | 0 | 0 | 103 | 103 | | | E | 000075 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2011 | 3 | 2007 | |
| USH 53 | B53 (1) (0.13) | 0.13 (687) | N | 2 | 57 | 22 | 1999 | 4 | 0 | 0 | 202 | 202 | | | E | 000075 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 7 | 2007 | |
| USH 53 (0.13) | B53 (1) | 0.12 (633) | N | 2 | 57 | 22 | 1980 | 4 | 0 | 0 | 103 | 103 | | | E | 000075 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 7 | 2007 | |

| =>Oak Hill Rd | | 0.14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Pettit Dr | Unknown | 0.14 (739) | N | 2 | 70 | 16 | 2003 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2010 | 7 | 2007 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>Ossmann Rd | | 1.49 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Lord Rd | Private | 0.58 (3062) | N | 2 | 70 | 16 | 1990 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 10 | 2007 | |
| Private | Private | 0.41 (2165) | N | 2 | 70 | 16 | 1990 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 10 | 2007 | |
| Private | N Town Ln | 0.50 (2640) | N | 2 | 70 | 16 | 1990 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 5 | 2007 | |

| =>Othmer Rd | | 0.55 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH A | Termini | 0.55 (2904) | N | 1 | 35 | 10 | 1966 | 4 | 0 | 0 | 102 | 102 | | | E | 000005 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 1 | 2007 | |

| =>Paske Rd | | 1.13 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Peterson Rd | Termini | 1.13 (5966) | N | 1 | 35 | 8 | 1966 | 4 | 0 | 0 | 103 | 103 | | | E | 000005 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 2 | 2007 | |

| =>Patterson Rd | | 0.50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH A | Colville Rd | 0.24 (1267) | N | 2 | 70 | 21 | 1998 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 7 | 2007 | |
| Colville Rd | Termini | 0.23 (1214) | N | 2 | 70 | 21 | 1998 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 7 | 2007 | |

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS**

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>Peterson Rd | | 2.47 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Tom Green Rd | Paske Rd | 0.99 (5227) | N | 2 | 35 | 16 | 1966 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 4 | 2007 | |
| Paske Rd | Womer Rd | 1.00 (5280) | N | 2 | 35 | 16 | 1966 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 3 | 2007 | |
| Womer Rd | CTH A | 0.48 (2534) | N | 2 | 35 | 16 | 1966 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 3 | 2007 | |

| =>Pettit Dr | | 0.24 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Oak Hill Rd | Heidtke Dr | 0.19 (1003) | N | 2 | 70 | 16 | 1990 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2010 | 8 | 2007 | |
| Heidtke Dr | Termini | 0.05 (264) | N | 2 | 35 | 16 | 1990 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |

| =>Pierce Rd | | 1.52 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Ramel Rd | Beck Rd | 0.50 (2640) | N | 2 | 35 | 18 | 1980 | 4 | 0 | 0 | 203 | 203 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 4 | 2007 | |
| Beck Rd | Westerlund Loop | 0.50 (2640) | N | 2 | 35 | 18 | 1980 | 4 | 0 | 0 | 203 | 203 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 4 | 2007 | |
| Westerlund Loop | CTH A | 0.52 (2746) | N | 2 | 35 | 18 | 1980 | 4 | 0 | 0 | 203 | 203 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 4 | 2007 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>Ramel Rd | | 3.52 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Cemetery Rd | Ferguson Rd | 1.00 (5280) | N | 2 | 57 | 20 | 1995 | 4 | 0 | 0 | 102 | 102 | | | E | 000035 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 7 | 2007 | |
| Ferguson Rd | Bill Ramel Rd | 0.26 (1373) | N | 2 | 35 | 16 | 1966 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 4 | 2007 | |
| Bill Ramel Rd | Copeland Rd | 0.75 (3960) | N | 2 | 35 | 16 | 1966 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 4 | 2007 | |
| Copeland Rd | Tab Rd | 0.50 (2640) | N | 2 | 35 | 16 | 1966 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 4 | 2007 | |
| Tab Rd | Pierce Rd | 0.51 (2693) | N | 2 | 35 | 16 | 1966 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 4 | 2007 | |
| Pierce Rd | Waterbury Rd | 0.50 (2640) | N | 2 | 35 | 16 | 1966 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 3 | 2007 | |

| =>Reinsberg Rd | | 0.25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Termini | CTH AA | 0.25 (1320) | N | 1 | 35 | 14 | 1990 | 4 | 0 | 0 | 102 | 102 | | | E | 000005 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |

| =>Rifle Range Rd | | 1.25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Jersett Rd | Termini (0.80) | 0.80 (4224) | N | 1 | 30 | 12 | 1966 | 4 | 0 | 0 | 102 | 102 | | | E | 000005 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |
| Jersett Rd (0.80) | Termini | 0.45 (2376) | N | 1 | 30 | 6 | 1966 | 4 | 0 | 0 | 101 | 101 | | | E | 000005 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>Roos Rd | | 1.52 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| County Forest 711 Rd (0.10) | Beck Rd | 0.46 (2429) | N | 2 | 35 | 18 | 1980 | 4 | 0 | 0 | 103 | 103 | | | E | 000035 | | E | 50 | 40 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 5 | 2007 | |
| Beck Rd | CTH A | 1.06 (5597) | N | 2 | 35 | 18 | 1980 | 4 | 0 | 0 | 103 | 103 | | | E | 000035 | | E | 50 | 40 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 5 | 2007 | |

| =>Sandman Rd | | 1.72 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Jersett Rd | Muck Lake Rd | 0.46 (2429) | N | 2 | 35 | 22 | 1966 | 4 | 0 | 0 | 106 | 106 | | | E | 000015 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | |
| Muck Lake Rd | Cheney Lake Rd | 0.98 (5174) | N | 2 | 35 | 22 | 1966 | 4 | 0 | 0 | 106 | 106 | | | E | 000015 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | |
| Cheney Lake Rd | CTH A (0.28) | 0.28 (1478) | N | 2 | 35 | 22 | 1966 | 4 | 0 | 0 | 106 | 106 | | | E | 000015 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 4 | 2007 | |

| =>Scenic Dr | | 0.94 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Jackson Dr | CTH A | 0.94 (4963) | N | 2 | 70 | 18 | 1990 | 4 | 0 | 0 | 105 | 105 | | | E | 000035 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 5 | 2007 | |

| =>Schafer Batting Loop | | 1.05 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Cemetery Rd | Cemetery Rd | 1.05 (5544) | N | 2 | 30 | 18 | 1966 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>School Forest Rd | | 0.85 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| USH 53 | Termini | 0.85 (4488) | N | 2 | 30 | 16 | 1969 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 2 | 2007 | |

| =>Simms Lake Rd | | 1.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH A | Sutfin Rd | 1.00 (5280) | N | 2 | 30 | 18 | 1966 | 4 | 0 | 0 | 105 | 105 | | | E | 000015 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |

| =>Sjoberg Rd | | 1.94 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH A | Crowshaw Rd (2) | 1.12 (5914) | N | 2 | 35 | 20 | 1974 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | |
| Crowshaw Rd (2) | Crowshaw Rd (1) (0.11) | 0.11 (581) | N | 2 | 70 | 20 | 1974 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 10 | 2007 | |
| Crowshaw Rd (2) (0.11) | Crowshaw Rd (1) | 0.43 (2270) | N | 2 | 70 | 20 | 1978 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 10 | 2007 | |
| Crowshaw Rd (1) | Kjell Rd | 0.26 (1373) | N | 2 | 65 | 20 | 1978 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 10 | 2007 | |

| =>Smith Dr | | 0.18 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Unknown | Termini | 0.17 (915) | N | 2 | 35 | 22 | 2006 | | | | 202 | 202 | | | | 000000 | | A | 60 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 5 | 2007 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>Stewart Rd | | 0.50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH A | Termini | 0.50 (2640) | N | 1 | 35 | 10 | 1966 | 4 | 0 | 0 | 102 | 102 | | | E | 000005 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 2 | 2007 | |

| =>Stone Chimney Rd | | 1.77 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| USH 53 (0.53) | CTH P (1.42) | 0.89 (4700) | N | 1 | 30 | 14 | 1966 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 2 | 2007 | |
| CTH P | Turkey Farm Rd | 0.88 (4646) | N | 1 | 30 | 14 | 1966 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 40 | 40 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 2 | 2007 | |

| =>Stone Rd | | 0.37 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH A | Brancel Rd | 0.15 (792) | N | 2 | 55 | 18 | 1974 | 4 | 0 | 0 | 101 | 101 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | |
| Brancel Rd | Brancel Rd (0.07) | 0.07 (370) | N | 2 | 65 | 18 | 2012 | 4 | 0 | 0 | 202 | 202 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2013 | 10 | 2012 | |
| Brancel Rd (0.07) | Brancel Rd | 0.15 (792) | N | 2 | 65 | 18 | 2012 | 4 | 0 | 0 | 202 | 202 | | | E | 000035 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2013 | 10 | 2012 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>Tab Rd | | 0.64 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Termini | Ramel Rd | 0.14 (739) | N | 1 | 35 | 12 | 1966 | 4 | 0 | 0 | 104 | 104 | | | E | 000005 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |
| Ramel Rd | Termini (0.29) | 0.29 (1531) | N | 2 | 35 | 16 | 1978 | 4 | 0 | 0 | 103 | 103 | | | E | 000025 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |
| Ramel Rd (0.29) | Termini | 0.21 (1109) | N | 2 | 35 | 16 | 1980 | 4 | 0 | 0 | 102 | 102 | | | E | 000025 | | A | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |

| =>E Thoorse Rd (1) | | 0.42 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| E Thoorse Rd (2) | Termini | 0.42 (2218) | N | 1 | 35 | 10 | 1966 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 40 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | |

| =>E Thoorse Rd (2) | | 0.92 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| USH 53 | Harroun Rd (0.01) | 0.01 (53) | N | 2 | 35 | 22 | 1998 | 4 | 0 | 0 | 203 | 203 | | | E | 000035 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | |
| USH 53 (0.01) | Harroun Rd | 0.06 (317) | N | 2 | 35 | 22 | 1998 | 4 | 0 | 0 | 203 | 203 | | | | 000000 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | |
| Harroun Rd | E Thoorse Rd (1) | 0.60 (3168) | N | 2 | 35 | 16 | 1966 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2010 | 4 | 2007 | |
| E Thoorse Rd (1) | Bebe Rd (0.25) | 0.25 (1320) | N | 2 | 35 | 16 | 1966 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 4 | 2007 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>TN RD 26 | | 0.07 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|------|-----------|------|--|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | R | | YR | | |
| Jersett Rd | Termini | 0.07 (370) | N | 1 | 35 | 6 | 1966 | 4 | 0 | 0 | 101 | 101 | | | E | 000005 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 2 | 2007 | | |

| =>TN RD 43 | | 0.17 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|------|-----------|------|--|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | R | | YR | | |
| CTH A | Termini | 0.17 (898) | N | 2 | 55 | 20 | 1975 | 4 | 0 | 0 | 101 | 101 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 7 | 2007 | | |

| =>TN RD 59 | | 0.09 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|------|-----------|------|--|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | R | | YR | | |
| Westerlund Loop | Termini | 0.09 (475) | N | 1 | 35 | 14 | 1966 | 4 | 0 | 0 | 102 | 102 | | | E | 000005 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 5 | 2007 | | |

| =>TN RD 68 | | 0.25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|------|-----------|------|--|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | R | | YR | | |
| Cemetery Rd | Termini | 0.25 (1320) | N | 1 | 35 | 8 | 1966 | 4 | 0 | 0 | 106 | 106 | | | E | 000005 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 2 | 2007 | | |

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS**

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>Tom Green Rd | | 7.02 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Harroun Rd | Peterson Rd (1.92) | 1.92 (10138) | N | 2 | 35 | 16 | 1966 | 4 | 0 | 0 | 104 | 104 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2010 | 5 | 2007 | |
| Harroun Rd (1.92) | Peterson Rd | 2.07 (10930) | N | 1 | 35 | 14 | 1990 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2010 | 5 | 2007 | |
| Peterson Rd | Gregerson Rd | 1.62 (8554) | N | 1 | 35 | 14 | 1990 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 2 | 2007 | |
| Gregerson Rd | Lucas Rd (1.41) | 1.41 (7445) | N | 1 | 35 | 14 | 1990 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 2 | 2007 | |

| =>Town Line Rd | | 3.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Engstad Rd | Tree Planters Rd | 0.30 (1584) | N | 2 | 70 | 18 | 1990 | 4 | 0 | 0 | 103 | 103 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | |
| Tree Planters Rd | County Forest 703 Rd | 0.23 (1214) | N | 2 | 70 | 18 | 1990 | 4 | 0 | 0 | 103 | 103 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | |
| County Forest 703 Rd | Flamang Rd | 1.47 (7762) | N | 2 | 70 | 18 | 1990 | 4 | 0 | 0 | 103 | 103 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | |
| Flamang Rd | Simms Lake Rd | 1.00 (5280) | N | 2 | 35 | 18 | 1990 | 4 | 0 | 0 | 103 | 103 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 4 | 2007 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>Tracy Rd | | 0.39 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Hendry Rd | Nakoda Rd (2) | 0.06 (317) | N | 2 | 70 | 16 | 1990 | 4 | 0 | 0 | 101 | 101 | | | E | 000005 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 1 | 2007 | |
| Nakoda Rd (2) | Nakoda Rd (1) | 0.10 (528) | N | 2 | 70 | 16 | 1990 | 4 | 0 | 0 | 101 | 101 | | | E | 000035 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 8 | 2007 | |
| Nakoda Rd (1) | Bunch Rd | 0.10 (528) | N | 2 | 70 | 16 | 1990 | 4 | 0 | 0 | 101 | 101 | | | E | 000035 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 8 | 2007 | |
| Bunch Rd | Termini | 0.13 (686) | N | 2 | 70 | 16 | 1990 | 4 | 0 | 0 | 101 | 101 | | | E | 000035 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 8 | 2007 | |

| =>Twin Lakes Rd | | 2.14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|--------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH A | County Forest 702 Rd (0.90) | 0.90 (4752) | N | 2 | 70 | 22 | 1977 | 4 | 0 | 0 | 104 | 104 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 8 | 2007 | |
| CTH A (0.90) | County Forest 702 Rd | 0.56 (2957) | N | 2 | 30 | 21 | 1998 | 4 | 0 | 0 | 201 | 201 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |
| County Forest 702 Rd | Muskrat Lake Rd | 0.65 (3432) | N | 2 | 30 | 21 | 1998 | 4 | 0 | 0 | 201 | 201 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |
| Muskrat Lake Rd | Engstad Rd | 0.03 (158) | N | 2 | 30 | 21 | 1998 | 4 | 0 | 0 | 201 | 201 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |

| =>Wasko Rd | | 0.42 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| USH 53 | Wasko Rd (0.39) | 0.39 (2059) | N | 2 | 70 | 18 | 2007 | 4 | 0 | 0 | 204 | 204 | | | E | 000015 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 10 | 2007 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2013 Certification

Town Of Solon Springs (026)

| =>Waterbury Rd | | 0.97 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Ramel Rd | Burma Rd (0.42) | 0.42 (2217) | N | 2 | 35 | 16 | 1966 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |
| Ramel Rd (0.42) | Burma Rd (0.97) | 0.55 (2904) | N | 2 | 30 | 16 | 1966 | 4 | 0 | 0 | 103 | 103 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2008 | 3 | 2007 | |

| =>Westerlund Loop | | 0.98 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Pierce Rd | TN RD 59 | 0.49 (2587) | N | 2 | 35 | 16 | 1966 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 4 | 2007 | |
| TN RD 59 | CTH A | 0.49 (2587) | N | 2 | 35 | 16 | 1966 | 4 | 0 | 0 | 102 | 102 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 4 | 2007 | |

| =>Womer Rd | | 0.75 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|---------------------------|----|---|---------|----|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|-----------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | | LT | RT | LT | RT | Type | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Termini | Peterson Rd | 0.75 (3960) | N | 1 | 35 | 14 | 1990 | 4 | 0 | 0 | 102 | 102 | | | E | 000005 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2012 | 3 | 2007 | |